

Dashboards Made Easy Using SAS® Software

Kirk Paul Lafler, sasNerd

Abstract

Organizations worldwide develop business intelligence and analytics dashboards – often referred to as enterprise dashboards— to display the status of point-in-time metrics and key performance indicators (KPIs). When designed effectively, dashboards integrate real-time data from multiple sources to highlight critical insights through numbers, tables, statistics, metrics, performance scorecards, and other essential content.

This paper explores the essential rules of “good” dashboard design, common metrics used in dashboards, and the application of best-practice programming techniques to ensure dashboards are quick to build, efficient to maintain, and easy to use. Using SAS® software, attendees will learn practical programming techniques to create real-world dashboards with Base SAS® tools including PROC SQL, macros, the Output Delivery System (ODS), ODS HTML, ODS Excel, ODS Layout, ODS Statistical Graphics, PROC SGPLOT, PROC SGPIE, and other SAS technologies.

Introduction

In a world of big data where data repositories and the demand placed on them are growing at explosive levels, organizations are faced with several decisions related to their information requirements:

- 1) What are the best ways to handle large amounts of information?
- 2) How should analytical data be processed?
- 3) What are the choices for constructing the most effective information delivery mechanisms?
- 4) How should analytical data and results be displayed?

To help answer these and other questions, this paper explains what a dashboard is, the dashboard’s elements, the do’s and don’ts for constructing effective dashboards, dashboard design techniques, an investigation of the various types of dashboards, the merits and strengths of using the base-SAS® software to construct dashboards, and an illustration of a few dashboard examples along with the base-SAS code used in their construction.

Example Table

The dashboard examples displayed in this paper reference the data set (or table), SASHELP.CARS, and consists of 428 observations and 15 variables, illustrated below.

SASHELP.CARS Table

Make	Model	Type	Origin	DriveTrain	MSRP	Invoice	Engine-Size	Cylinders	Horsepower	MPG_City	MPG_Highway	Weight	Wheelbase	Length
Acura	MDX	SUV	Asia	All	\$36,945	\$33,337	3.5	6	265	17	23	4451	108	189
Acura	RSX Type S 2dr	Sedan	Asia	Front	\$23,820	\$21,761	2.0	4	200	24	31	2778	101	172
Acura	TSX 4dr	Sedan	Asia	Front	\$20,990	\$24,647	2.4	4	200	22	29	3230	105	183
Acura	TL 4dr	Sedan	Asia	Front	\$33,195	\$30,299	3.2	6	270	20	28	3575	108	188
Acura	3.5 RL 4dr	Sedan	Asia	Front	\$43,755	\$39,014	3.5	6	225	18	24	3880	115	197
Acura	3.5 RL w/Navigation 4dr	Sedan	Asia	Front	\$46,100	\$41,100	3.5	6	225	18	24	3893	115	197
Acura	NSX coupe 2dr manual S	Sports	Asia	Rear	\$89,795	\$79,978	3.2	6	290	17	24	3153	100	174
Audi	A4 1.8T 4dr	Sedan	Europe	Front	\$25,940	\$23,508	1.8	4	170	22	31	3252	104	179
Audi	A4 1.8T convertible 2dr	Sedan	Europe	Front	\$35,940	\$32,506	1.8	4	170	23	30	3638	105	180
Audi	A4 3.0 4dr	Sedan	Europe	Front	\$31,840	\$28,846	3.0	6	220	20	28	3462	104	179
Audi	A4 3.0 Quattro 4dr manual	Sedan	Europe	All	\$33,430	\$30,366	3.0	6	220	17	26	3583	104	179
Audi	A4 3.0 Quattro 4dr auto	Sedan	Europe	All	\$34,480	\$31,388	3.0	6	220	18	25	3627	104	179
Audi	A6 3.0 4dr	Sedan	Europe	Front	\$36,640	\$33,129	3.0	6	220	20	27	3561	109	192
Audi	A6 3.0 Quattro 4dr	Sedan	Europe	All	\$39,640	\$35,992	3.0	6	220	18	25	3880	109	192
Audi	A4 3.0 convertible 2dr	Sedan	Europe	Front	\$42,490	\$38,325	3.0	6	220	20	27	3814	105	180
Audi	A4 3.0 Quattro convertible 2dr	Sedan	Europe	All	\$44,240	\$40,075	3.0	6	220	18	25	4013	105	180
Audi	A6 2.7 Turbo Quattro 4dr	Sedan	Europe	All	\$42,840	\$38,840	2.7	6	250	18	25	3836	109	192
Audi	A6 4.2 Quattro 4dr	Sedan	Europe	All	\$49,690	\$44,936	4.2	8	300	17	24	4024	109	193
Audi	A6 L Quattro 4dr	Sedan	Europe	All	\$69,190	\$64,740	4.2	8	330	17	24	4399	121	204
Audi	S4 Quattro 4dr	Sedan	Europe	All	\$48,040	\$43,556	4.2	8	340	14	20	3625	104	179
Audi	RS 6 4dr	Sports	Europe	Front	\$84,600	\$76,417	4.2	8	450	15	22	4024	109	191
Audi	TT 1.8 convertible 2dr (coupe)	Sports	Europe	Front	\$35,940	\$32,512	1.8	4	180	20	28	3131	95	159
Audi	TT 1.8 Quattro 2dr (convertible)	Sports	Europe	All	\$37,390	\$33,891	1.8	4	225	20	28	2921	96	159
Audi	TT 3.2 coupe 2dr (convertible)	Sports	Europe	All	\$40,590	\$36,739	3.2	6	250	21	29	3351	96	159
Audi	A6 3.0 Avant Quattro	Wagon	Europe	All	\$40,840	\$37,060	3.0	6	220	18	25	4035	109	192
Audi	S4 Avant Quattro	Wagon	Europe	All	\$49,090	\$44,446	4.2	8	340	15	21	3938	104	179
BMW	X3 3.0i	SUV	Europe	All	\$37,000	\$33,873	3.0	6	225	18	23	4023	110	180
BMW	X5 4.4i	SUV	Europe	All	\$52,195	\$47,720	4.4	8	325	16	22	4824	111	184
BMW	325i 4dr	Sedan	Europe	Rear	\$28,495	\$26,155	2.5	6	184	20	29	3219	107	176
BMW	325Ci 2dr	Sedan	Europe	Rear	\$30,795	\$28,245	2.5	6	184	20	29	3197	107	177
BMW	325Ci convertible 2dr	Sedan	Europe	Rear	\$37,995	\$34,800	2.5	6	184	19	27	3560	107	177

“Brief” History of Dashboards

In the world of information technology, a dashboard serves as a user interface to organize and display information visually in the simplest way possible. Dashboards originated in the 1970’s as decision support tools and systems that served management, operations, and organizational planning. In the 1980’s, dashboards came of age as executive information systems emphasizing graphical displays and simple user interfaces to assist with management decision making. In the 1990’s, dashboards experienced a growing interest with the rise of the Internet. As information technology and the Internet entered the 2000’s, vendors including SAS Institute, and others, offered high-end easy-to-use products for the development of comprehensive “custom” dashboards. The dashboards being built today offer users the ability to monitor key metrics, information summaries, and reports in a single easy-to-use user interface. As a result, dashboards are designed to alert users to key business issues that impact an organization’s tactics and strategies by facilitating improved decision making activities.

So exactly what is a dashboard? In the paper, “Building Your First Dashboard Using the SAS® 9 Business Intelligence Platform: A Tutorial,” by Gregory S. Nelson (2009), Nelson describes a dashboard as a visualization technique that provides an immediate view or snapshot of exactly where you are in a specific process relative to your stated goals and objectives. He adds that, Visual indicators, such as temperature gauges, traffic lights and speedometers, help give a real-world sense of present progress and assists in making decisions, adapting to current conditions or drilling into more detailed information. As a user interface, dashboards display performance indicators (PIs), key performance indicators (KPIs), and other relevant information.

Types of Dashboards

The first step in dashboard design is to understand the purpose and type of dashboard you will need. With three types of dashboard designs available, users are encouraged to select the dashboard type that best meets your needs. The following table describes the three types of enterprise dashboards and their purpose.

Dashboard Type	Purpose
Strategic Dashboards	Strategic dashboards provide executives and managers with visual information to determine and support goals and objectives within an organization. This type of dashboard facilitates monitoring an organization’s health, progress, performance, and areas where improvement can be made. There is typically no need for interactive features with this type of dashboard. Strategic dashboard examples include: Sales, Human Resources, Manufacturing, and Services.
Analytical Dashboards	Analytical dashboards provide users with visual information to help gain a better understanding with historical, present and future data; understand trends; allow comparisons to be made; and determine the type of adjustments that are needed. Analytical dashboards should allow interactive features such as drill-down capabilities, as needed, to access more detailed information. Dashboard examples include: obtaining real-time data and information, determining why some things are working and others are not, identifying patterns and opportunities with your data, and aligning strategic objectives with performance initiatives.
Operational Dashboards	Operational dashboards provide users with visual information to concentrate on performance monitoring and measurements, monitor the efficiency and effectiveness of their organization. There is typically a need to update information displayed in an operational dashboard frequently to make it relevant to the users’ needs. Dashboard examples include: improved understanding of performance, better focus and alignment, and faster and better decision making.

Dashboard Elements

In Malik Shadan’s (2007) paper, Elements for an Enterprise Dashboard, he mentions that there are basic and advanced characteristics specific to an enterprise dashboard. The basic characteristics encompass the acronym, SMART, and the advanced characteristics of an enterprise dashboard encompass the acronym, IMPACT. The elements associated with each acronym appear in the following tables.

SMART Basic Elements	
Element	Description
Synergetic	Synergize information in a single screen view.
Monitor KPIs	Display critical KPIs for effective decision making.
Accurate	Dashboard must be well tested and validated, and information must be accurate.
Responsive	Respond to user alerts and visual content to draw immediate attention to critical matters.
Timely	Display information that is real-time and right-time for effective decision making.

IMPACT Advanced Elements	
Element	Description
Interactive	Allow user to drill-down and derive details, root causes and more.
More Data History	Allow users to review historical trends for any KPI.
Personalized	Display should be specific to each user's domain of responsibility, data restrictions, and privileges.
Analytical	Allow users to perform guided analysis, compare, contrast, and make analytical inferences.
Collaborative	Facilitate users' ability to exchange notes regarding observations on their dashboard.
Trackability	Allow each user to customize the metrics they would like to track.

13 Common Pitfalls to Avoid when Designing Dashboards

Successful dashboard design involves the transformation of quantitative data into meaningful and effective visual displays including graphs, maps, gauges and summary information. In his paper, "Common Pitfalls in Dashboard Design," Stephen Few (2006) proposes 13 common mistakes many make when designing dashboards. Instead of concentrating on what should be done when designing dashboards, Mr. Few's body of work espouses the most common mistakes along with detailed explanations to help educate current and future designers alike. I have listed the 13 common pitfalls from Mr. Few's seminal work, below, but readers are encouraged to read his entire paper, see the References section, for a complete perspective.

Stephen Few's 13 Common Pitfalls in Dashboard Design (cited from reference)

Pitfall	Description
Pitfall #1	Exceeding the Boundaries of a Single Screen
Pitfall #2	Supplying Inadequate Context for the Data
Pitfall #3	Displaying Excessive Detail or Precision
Pitfall #4	Expressing Measures Indirectly
Pitfall #5	Choosing Inappropriate Media of Display
Pitfall #6	Introducing Meaningless Variety
Pitfall #7	Using Poorly Designed Display Media
Pitfall #8	Encoding Quantitative Data Inaccurately
Pitfall #9	Arranging the Data Poorly
Pitfall #10	Ineffectively Highlighting What's Important
Pitfall #11	Cluttering the Screen with Useless Decoration
Pitfall #12	Misusing or Overusing Color
Pitfall #13	Designing an Unappealing Visual Display

Steps to Creating a Dashboard using Base-SAS® Software


Follow these basic steps to successfully construct a quick and easy dashboard using the SAS software.

1. Connect to desired data sources using Libname statement.
2. Specify an ODS HTML5 statement to produce dashboards that can be viewed with a web browser.
3. Specify an ODS LAYOUT statement to tell SAS how many row(s) and column(s) the dashboard should contain.
4. Specify an ODS REGION statement to control where output is to be placed on the dashboard.
5. Specify color settings, fonts, font attributes, and other "customizations".
6. Specify an ODS LAYOUT END statement to terminate the dashboard layout.
7. Specify an ODS HTML5 CLOSE statement to render the results to the dashboard file.

Several quick and easy dashboard examples are illustrated below.

Examples

Example #1 – (1x1) Dashboard Layout with Default Settings
PROC FREQ, PROC SGPLOT and PROC MEANS



Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The two procedures that are used to create the dashboard are: PROC FREQ and PROC SGPLOT.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
3. An **ODS LAYOUT GRIDDED ROWS=1 COLUMNS=1** statement tells SAS to create a gridded layout consisting of one row and ONE column.
4. An **ODS REGION** statement tells SAS to produce the results using PROC FREQ and PROC SGPLOT.
5. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
6. An **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ods html5 path="/home/kirklafler/Dashboards/Results"
          body="Dashboard - Gridded HTML (1 x 1) Layout.html"
          (url=none) ;

title1 font=impact bold h=12 c=blue "Analytics Dashboard" ;

ODS LAYOUT GRIDDED ROWS=1 COLUMNS=1 ; /* Design HTML 1x1 Layout */

options center ; /* Center the Results */
ods region ; /* Start of Output Results */
title1 "SASHELP.CARS Frequency Distribution for Origin and Type" ;
proc freq data=SASHELP.CARS NLEVELS ;
  table Origin Type ;
run ;

title1 "Origin BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Origin / group=Origin datalabel ;
run ;

title1 "Type BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Type / group=Type datalabel ;
run ;

title1 "Origin by Type Cluster BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Origin / group=Type response=MSRP stat=mean groupdisplay=cluster datalabel ;
run ;

title1 "Descriptive Statistics for MSRP and Invoice by Origin" ;
proc means data=SASHELP.CARS n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;
title ;

ods layout end ; /* Terminate the Layout of Output Results */
ods html5 close ;
```

Example #2 – (1x2) Dashboard Layout with Default Settings

PROC FREQ and PROC REPORT

Number of Distinct Variable Levels (Data Cardinality)
Variable Names Displayed in Alphabetical Order

The FREQ Procedure

Number of Variable Levels				
Variable	Label	Levels	Missing Levels	Nonmissing Levels
Cylinders		8	1	7
DriveTrain		3	0	3
Engine Size	Engine Size (L)	43	0	43
Horsepower		110	0	110
Invoice		425	0	425
Length	Length (IN)	67	0	67
MPG_City	MPG (City)	28	0	28
MPG_Highway	MPG (Highway)	33	0	33
MSRP		410	0	410
Make		38	0	38
Model		425	0	425
Origin		3	0	3
Type		6	0	6
Weight	Weight (LBS)	348	0	348
Wheelbase	Wheelbase (IN)	40	0	40

Origin Frequency Distribution

The FREQ Procedure

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	158	36.92	158	36.92
Europe	123	28.74	281	65.65
USA	147	34.35	428	100.00

Cars by Origin

Type	Origin	Make	Model	MSRP
SUV	Asia	Honda	Pilot LX	\$27,560
			CR-V LX	\$19,860
			Element LX	\$18,090
		Hyundai	Santa Fe GLS	\$21,589
		Isuzu	Rodeo S	\$20,449
		Kia	Sorento LX	\$19,635
		Mazda	Tribute DX 2.0	\$21,087
		Mitsubishi	Outlander LS	\$18,892
		Nissan	Pathfinder SE	\$27,339
			Xterra XE V6	\$20,939
		Suzuki	XL-7 EX	\$23,099
			Vitara LX	\$17,163
		Toyota	4Runner SR5 V6	\$27,710
			Highlander V6	\$27,930
			RAV4	\$20,290
	Europe	Land Rover	Freelander SE	\$25,995
	USA	Buick	Rendezvous CX	\$26,545
		Chevrolet	Tracker	\$20,255
		Ford	Explorer XLT V6	\$29,670
			Escape XLS	\$22,515
		Jeep	Grand Cherokee Laredo	\$27,905
			Liberty Sport	\$20,130
			Wrangler Sahara convertible 2dr	\$25,520
		Mercury	Mountaineer	\$29,995
		Pontiac	Aztek	\$21,595
		Saturn	VUE	\$20,585
Sports	Asia	Hyundai	Tiburon GT V6 2dr	\$18,739
		Mazda	MX-5 Miata convertible 2dr	\$22,388
			MX-5 Miata LS convertible 2dr	\$25,193
			RX-8 4dr automatic	\$25,700
			RX-8 4dr manual	\$27,200
		Mitsubishi	Eclipse GTS 2dr	\$25,092
			Eclipse Spyder GT convertible 2dr	\$26,992
			Lancer Evolution 4dr	\$29,562
		Nissan	350Z coupe 2dr	\$26,910
		Subaru	Impreza WRX 4dr	\$25,045
		Toyota	Celica GT-S 2dr	\$22,570
			MR2 Spyder convertible 2dr	\$25,130
	USA	Ford	Mustang 2dr (convertible)	\$18,345
			Mustang GT Premium convertible 2dr	\$29,380

Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The two procedures that are used to create the dashboard are: PROC FREQ and PROC REPORT.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
3. An **ODS LAYOUT GRIDDED ROWS=1 COLUMNS=2** statement tells SAS to create a gridded layout consisting of one row and two columns.
4. The first **ODS REGION** statement tells SAS to produce the first column of results using PROC FREQ.
5. The second **ODS REGION** statement tells SAS to produce the second column of results using PROC REPORT.
6. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
7. An **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ODS HTML5 PATH="/home/kirklafler/Results"
          FILE="Dashboard #1 - (1x2) Layout.html"
          (URL=NONE) ;

ODS LAYOUT GRIDDED ROWS=1 COLUMNS=2 ;

PROC SQL NOPRINT ;
  SELECT NAME
    INTO :mAlphabeticalVariable_List SEPARATED BY " "
    FROM SASHELP.VCOLUMN
    WHERE LIBNAME="SASHELP" AND MEMNAME="CARS"
    ORDER BY NAME ;
QUIT ;

ODS REGION ; /* Row 1 Column 1 */
ODS SELECT NLEVELS ;
TITLE1 BOLD "Number of Distinct Variable Levels (Data Cardinality)" ;
TITLE2 BOLD "Variable Names Displayed in Alphabetical Order" ;
PROC FREQ DATA=SASHELP.Cars NLEVELS ;
  TABLES &mAlphabeticalVariable_List ;
RUN ;
TITLE1 BOLD "Origin Frequency Distribution" ;
PROC FREQ DATA=SASHELP.Cars ;
  TABLES Origin ;
RUN ;

ODS REGION ; /* Row 1 Column 2 */
TITLE1 BOLD "Cars by Origin" ;
PROC REPORT DATA=SASHELP.Cars(KEEP=Type Make Model Origin MSRP) ;
  WHERE MSRP < 30000 AND Type IN ("SUV","Sports") ;
  COLUMNS Type Origin Make Model MSRP ;
  DEFINE Type / ORDER ;
  DEFINE Origin / ORDER ;
  DEFINE Make / ORDER CENTER ;
  DEFINE Model / DISPLAY ;
  DEFINE MSRP / DISPLAY ;
RUN ;

ODS LAYOUT END ;

ODS HTML5 CLOSE ;
```

Example #3 – (2x2) Dashboard Layout with Default Settings

PROC FREQ, PROC SGPLOT, PROC MEANS, and PROC UNIVARIATE


Analytics Dashboard

Region Frequency Distribution

The FREQ Procedure

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	158	35.62	158	35.62
Europe	123	28.74	281	64.36
USA	147	34.35	428	100.00

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.70	3	0.70
SUV	60	14.02	63	14.72
Sedan	262	61.21	325	75.93
Sports	49	11.45	374	87.38
Truck	24	5.61	398	92.99
Wagon	30	7.01	428	100.00



Type Descriptive Statistics

The MEANS Procedure

Type	N	Obs	Variable	Label	N	N Miss	Minimum	Maximum	Range	Mean	Median	Mode	Std Dev	Variance
Hybrid	3		MSRP		3	0	19110.00	20910.00	1400.00	19920.00	20140.00	-	725.485379	528300.00
			Invoice		3	0	17911.00	19920.00	1010.00	18420.33	18451.00	-	607.8487917	369499.33
			EngineSize	Engine Size (L)	3	0	1.4000000	2.0000000	0.6000000	1.8333333	1.8000000	-	0.3214590	0.1033333
			Cylinders		3	0	3.0000000	4.0000000	1.0000000	3.8888887	4.0000000	4.0000000	0.5773593	0.3333333
			Horsepower		3	0	75.0000000	110.0000000	37.0000000	92.0000000	15.0000000	-	19.8202592	343.0000000
			MPG_City	MPG (City)	3	0	45.0000000	60.0000000	14.0000000	55.0000000	59.0000000	-	7.8102497	61.0000000
			MPG_Highway	MPG (Highway)	3	0	51.0000000	65.0000000	14.0000000	59.0000000	51.0000000	51.0000000	8.9602240	79.0000000
			Weight	Weight (LBS)	3	0	1550.00000	3990.00000	2440.00000	2490.87	2130.00000	-	600.4259571	314951.33
			Wheelbase	Wheelbase (N)	3	0	95.0000000	108.0000000	13.0000000	101.3333333	103.0000000	-	6.6982497	32.3333333
			Length	Length (N)	3	0	169.0000000	175.0000000	6.0000000	168.3333333	170.0000000	-	11.5470094	132.3333333
SUV	60		MSRP		60	0	17183.00	78970.00	61787.00	34798.25	32982.00	-	13599.03	184622749
			Invoice		60	0	16949.00	71540.00	54591.00	31625.35	29724.00	-	12982.39	145591199
			EngineSize	Engine Size (L)	60	0	2.0000000	8.0000000	6.0000000	3.2200000	4.0000000	4.0000000	1.0910732	1.1904407
			Cylinders		60	0	4.0000000	12.0000000	8.0000000	6.9888887	8.0000000	8.0000000	1.8822932	1.9107345
			Horsepower		60	0	130.0000000	340.0000000	210.0000000	238.8198887	231.0000000	278.0000000	58.2339217	3182.25
			MPG_City	MPG (City)	60	0	10.0000000	22.0000000	12.0000000	19.1000000	19.0000000	15.0000000	2.8226262	7.8959322
			MPG_Highway	MPG (Highway)	60	0	12.0000000	27.0000000	15.0000000	20.5000000	21.0000000	21.0000000	3.3370305	11.1356932
			Weight	Weight (LBS)	60	0	2989.00000	7190.00000	4201.00000	4444.43	4438.00000	-	889.2520194	790779.22
			Wheelbase	Wheelbase (N)	60	0	93.0000000	137.0000000	44.0000000	111.8333333	119.5000000	112.0000000	8.7339037	76.2010734
			Length	Length (N)	60	0	150.0000000	227.0000000	77.0000000	188.1333333	188.0000000	190.0000000	13.9411191	194.3548023
Sedan	262		MSRP		262	0	10380.00	128420.00	118040.00	28773.82	26432.00	-	19384.89	242879489
			Invoice		262	0	9976.00	119600.00	109624.00	21769.80	24993.00	14207.00	14305.15	204933983
			EngineSize	Engine Size (L)	262	0	1.5000000	6.0000000	4.5000000	2.9790924	3.0000000	3.0000000	0.6253342	0.8962435

Type Univariate Statistics

The UNIVARIATE Procedure
Variable: MSRP
Type = Hybrid


Moments	
N	3 Sum Weights
Mean	19920 Sum Observations
Std Deviation	725.485368 Variance
Skewness	-1.2301451 Kurtosis
Uncorrected SS	1101471800 Corrected SS
Coef Variation	3.64189442 Std Error Mean

Basic Statistical Measures	
Location	Variability
Mean	19920.00 Std Deviation
Median	20140.00 Variance
Mode	Range
	Interquartile Range

Truck	24		MSRP		24	0	12800.00	52975.00	40175.00	24941.38	22180.00	-	6971.07	97455779.42
			Invoice		24	0	11879.00	4841.00	3682.00	32618.75	16988.00	-	8852.13	78380230.85
			EngineSize	Engine Size (L)	24	0	2.3000000	6.0000000	3.7000000	4.0719587	3.8500000	3.7000000	1.2489923	1.5996919
			Cylinders		24	0	4.0000000	6.0000000	2.0000000	5.2600000	6.0000000	6.0000000	1.5649289	2.4543783
			Horsepower		24	0	142.0000000	345.0000000	203.0000000	224.8333333	208.5000000	300.0000000	61.8452945	3824.84
			MPG_City	MPG (City)	24	0	13.0000000	24.0000000	11.0000000	18.5000000	18.0000000	18.0000000	3.2302914	10.4347026
			MPG_Highway	MPG (Highway)	24	0	17.0000000	29.0000000	12.0000000	21.0000000	19.0000000	19.0000000	3.8789233	15.0434783
			Weight	Weight (LBS)	24	0	2750.00000	5979.00000	3129.00000	4250.75	4112.00000	-	888.8274754	788462.08
			Wheelbase	Wheelbase (N)	24	0	103.0000000	144.0000000	41.0000000	123.0000000	124.5000000	111.0000000	11.71302705	137.1304345
			Length	Length (N)	24	0	188.0000000	238.0000000	50.0000000	207.7683333	208.0000000	191.0000000	15.1913902	229.8877538
Wagon	30		MSRP		30	0	11609.00	60970.00	49361.00	28840.53	28245.00	-	11834.00	140043622
			Invoice		30	0	11410.00	59474.00	48064.00	30645.83	23721.00	-	10596.11	111959231
			EngineSize	Engine Size (L)	30	0	1.5000000	5.0000000	3.5000000	2.7700000	2.5000000	2.5000000	0.8910087	0.7838960
			Cylinders		30	0	4.0000000	8.0000000	4.0000000	5.2000000	5.0000000	4.0000000	1.4178983	2.0102448
			Horsepower		30	0	104.0000000	340.0000000	236.0000000	184.0000000	170.0000000	190.0000000	63.7322174	4095.45
			MPG_City	MPG (City)	30	0	15.0000000	31.0000000	18.0000000	21.1000000	20.0000000	19.0000000	4.2128703	17.7482750
			MPG_Highway	MPG (Highway)	30	0	19.0000000	39.0000000	17.0000000	27.6000000	25.0000000	25.0000000	4.4127858	19.4724108
			Weight	Weight (LBS)	30	0	2425.00000	4875.00000	2250.00000	3438.80	3494.00000	-	591.4517147	338088.10
			Wheelbase	Wheelbase (N)	30	0	95.0000000	118.0000000	21.0000000	105.8000000	105.0000000	112.0000000	5.1888475	26.9241379
			Length	Length (N)	30	0	169.0000000	199.0000000	30.0000000	182.4333333	184.0000000	190.0000000	10.1487112	102.8747028

90%	20510
75% Q3	20510
50% Median	20140
25% Q1	19110
10%	19110
5%	19110
1%	19110
0% Min	19110

Extreme Observations		
Lowest	Value	Highest
	19110	19110
	20140	160
	20610	374



Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The four procedures that are used to create the dashboard are: PROC FREQ, PROC SGPLOT, PROC MEANS, and PROC UNIVARIATE.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
3. An **ODS LAYOUT GRIDDED ROWS=2 COLUMNS=2** statement tells SAS to create a gridded layout consisting of one row and two columns.
4. Multiple **ODS REGION** statements to tell SAS to produce the row and column of results.
5. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
6. An **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ODS HTML5 PATH="/home/kirklafler/Results"
          FILE="Dashboard #2 - (2x2) Layout.html"
          (URL=NONE) ;

title1 font=impact bold h=12 c=blue "Analytics Dashboard" ;
ods layout start rows=2 columns=2 ;

ods region ; /* Row 1 Column 1 */
title1 "Region Frequency Distribution" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 1 Column 2 */
title1 "Type BarChart" ;
proc sgplot data=sashelp.cars ;
  vbar Type / group=Type datalabel ;
run ;

ods region ; /* Row 2 Column 1 */
title1 "Type Descriptive Statistics" ;
proc means data=sashelp.cars n nmiss min max range mean median mode std var ;
  class Type ;
run ;

ods region ; /* Row 2 Column 2 */
title1 "Type Univariate Statistics" ;
proc univariate data=sashelp.cars plots ;
  class Type ;
run ;
title ;

ods layout end ;
ods html5 close ;
```

Example #4 – (3x3) Dashboard Layout with Default Settings

PROC CONTENTS, PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE


Analytics Dashboard

Cars Metadata Contents
The CONTENTS procedure

Data Set Name	SASHELP.CARS	Observations	428
Member Type	DATA	Variables	16
Engine	V8	Indexes	0
Created	08/05/2018 18:11:21	Observation Length	152
Last Modified	08/05/2018 18:11:21	Created	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label	2004 Car Data		
Data Representation	SOLARIS_XM_84_LINUX_XM_84_ALPHA_TRU64_LINUX_XM84		
Encoding	us-ascii ASCII (ANSI)		

NLEVELS (Data Cardinality) Results
The FREQ Procedure

Variable	Label	Levels	Missing Levels	Nonmissing Levels
Make		38	0	38
Model		425	0	425
Type		6	0	6
Origin		3	0	3
DriveTrain		3	0	3
MSRP		410	0	410
Invoice		425	0	425
EngineSize	Engine Size (L)	43	0	43
Cylinders		8	1	7
Nonsewer		160	0	160
MPG_City	MPG (City)	28	0	28
MPG_highway	MPG (highway)	33	0	33
Weight	Weight (LBS)	348	0	348
Wheelbase	Wheelbase (IN)	40	0	40
Length	Length (IN)	67	0	67



Engine/Model Dependent Information


Data Set Page Size	65536
Number of Data Set Pages	2
First Data Page	1
Max Obs per Page	410
Obs in First Data Page	405
Number of Data Set Repairs	0
Filename	sas\help\cars\640\SASFoundation\94\sashehelpcars.sas7bdat
Release Created	03/04/1987
Host Created	Linux
Index Number	135542
Access Permission	rw-r--r--
Owner Name	collins
File Size	14928
File Size (bytes)	148608

Alphabetic List of variables and Attributes

#	Variable	Type	Len	Format	Label
9	Cylinders	Num	8		
5	DriveTrain	Char	8		
8	EngineSize	Num	8		Engine Size (L)
10	Nonsewer	Num	8		
7	Invoice	Num	8	DOLLARS.	
19	Length	Num	8		Length (IN)
11	MPG_City	Num	8		MPG (City)
12	MPG_highway	Num	8		MPG (highway)
6	MSRP	Num	8	DOLLARS.	
1	Make	Char	15		
2	Model	Char	68		
4	Origin	Char	6		
3	Type	Char	8		
13	Weight	Num	8		Weight (LBS)
14	Wheelbase	Num	8		Wheelbase (IN)

Sort Information

SortOrder	Make Type
Ascending	YES
Character Set	ANSI





Origin and Type Frequency Distributions

The FREQ Procedure

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	38	8.92	38	8.92
Europe	121	28.29	159	37.21
USA	147	34.39	306	71.60

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.70	3	0.70
SUV	60	14.02	63	14.72
Sedan	262	61.21	325	75.93
Sports	8	1.89	333	77.82
Truck	24	5.61	357	83.43
Wagon	30	7.01	387	90.44



Origin and Type Descriptive Statistics

The MEANS Procedure

Origin	Type	N	Min	Maximum	Range	Mean	Median	Mode	Std Dev	Variance
Asia	Hybrid	3	15110.00	20510.00	1400.00	19220.00	20140.00	20140.00	11842.50	14024588
	Invoice	3	17911.00	49028.00	15110.00	18228.33	41441.00	50748891.00	20768.33	43103333
	EngineSize	3	1.0000000	2.0000000	1.0000000	1.6666667	1.0000000	1.0000000	0.3333333	0.1111111
	Cylinders	3	3.0000000	4.0000000	1.0000000	3.6666667	4.0000000	4.0000000	0.3333333	0.1111111
	MPG_City	3	71.0000000	110.0000000	37.0000000	92.0000000	93.0000000	93.0000000	18.5000000	343.0000000
	MPG_highway	3	46.0000000	80.0000000	14.0000000	55.0000000	55.0000000	55.0000000	12.0000000	144.0000000
SUV	Invoice	25	91.0000000	66.0000000	18.0000000	98.0000000	61.0000000	61.0000000	8.6624949	75.0000000
	EngineSize	25	1.0000000	2.0000000	1.0000000	1.5200000	1.0000000	1.0000000	0.2400000	0.5760000
	Cylinders	25	4.0000000	8.0000000	4.0000000	5.0000000	6.0000000	6.0000000	1.2000000	1.4400000
	MPG_City	25	13.0000000	22.0000000	9.0000000	17.2000000	17.0000000	18.0000000	2.7464719	7.5523333
	MPG_highway	25	11.0000000	27.0000000	16.0000000	21.4000000	21.0000000	18.0000000	4.8229871	23.2561111
	Weight	25	4001.0000000	5965.0000000	1964.0000000	4763.0000000	4763.0000000	4763.0000000	750.1000000	562717.778
Sedan	Invoice	84	88.0000000	126.0000000	38.0000000	108.0000000	107.0000000	103.0000000	17.0000000	289.0000000
	EngineSize	84	1.0000000	2.0000000	1.0000000	1.6400000	1.0000000	1.0000000	0.2400000	0.5760000
	Cylinders	84	4.0000000	8.0000000	4.0000000	5.4285714	4.0000000	4.0000000	1.1631889	1.3509889
	MPG_City	84	18.0000000	36.0000000	18.0000000	22.8428571	21.0000000	18.0000000	4.8984849	24.0000000
	MPG_highway	84	20.0000000	40.0000000	20.0000000	24.8428571	24.0000000	20.0000000	4.8484849	23.5095238
	Weight	84	3035.0000000	4802.0000000	1767.0000000	3147.3000000	3147.3000000	2913.0000000	584.2845900	341490.472
Sports	Invoice	84	93.0000000	124.0000000	31.0000000	108.0000000	107.0000000	103.0000000	17.0000000	289.0000000
	EngineSize	84	1.0000000	2.0000000	1.0000000	1.6400000	1.0000000	1.0000000	0.2400000	0.5760000
	Cylinders	84	4.0000000	8.0000000	4.0000000	5.4285714	4.0000000	4.0000000	1.1631889	1.3509889
	MPG_City	84	18.0000000	36.0000000	18.0000000	22.8428571	21.0000000	18.0000000	4.8984849	24.0000000
	MPG_highway	84	20.0000000	40.0000000	20.0000000	24.8428571	24.0000000	20.0000000	4.8484849	23.5095238
	Weight	84	3035.0000000	4802.0000000	1767.0000000	3147.3000000	3147.3000000	2913.0000000	584.2845900	341490.472
Truck	Invoice	8	12800.00	28600.00	15800.00	20383.63	20914.00	20914.00	6281.29	39640464.41
	EngineSize	8	1.0000000	2.0000000	1.0000000	1.6250000	1.0000000	1.0000000	0.2400000	0.5760000
	Cylinders	8	3.0000000	6.0000000	3.0000000	3.3750000	3.0000000	3.0000000	0.6000000	0.3600000
	MPG_City	8	142.0000000	305.0000000	163.0000000	192.5000000	185.0000000	180.0000000	51.7368471	2671.79
	MPG_highway	8	14.0000000	24.0000000	10.0000000	19.1250000	18.0000000	14.0000000	3.9474105	15.581761
	Weight	8	17.0000000	29.0000000	12.0000000	23.0000000	19.0000000	18.0000000	5.0762195	25.7742897
Wagon	Invoice	11	2700.00	5207.00	2507.00	3728.13	3748.00	3748.00	11.0297582	168.6464938
	EngineSize	11	1.0000000	2.0000000	1.0000000	1.6363636	1.0000000	1.0000000	0.2400000	0.5760000
	Cylinders	11	4.0000000	8.0000000	4.0000000	5.4545455	4.0000000	4.0000000	1.1768111	1.3848111
	MPG_City	11	10.0000000	17.0000000	7.0000000	13.6363636	13.0000000	12.0000000	2.8242953	7.9772727
	MPG_highway	11	11.0000000	19.0000000	8.0000000	15.4545455	15.0000000	14.0000000	3.2469136	10.5490909
	Weight	11	2620.0000000	4308.0000000	1688.0000000	3326.2700000	3200.0000000	28.0000000	629.4276190	398177.42

Dashboard #3, continued

Origin and Type Frequency Distribution					PROC REPORT Results					Cars MOMENTS Univariate Statistics																				
The FREQ Procedure					Origin Type Make Model MSRP Invoice					The UNIVARIATE Procedure																				
Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent	Origin	Type	Make	Model	MSRP	Invoice	N	Sum Weights	Sum Observations	StDeviation	Variance	Kurtosis	Skewness	Uncorrected SS	Corrected SS	StDeviation	Sum Error Mean									
Asia	158	36.92	158	36.92	Asia	Hybrid	Honda	Civic Hybrid 4dr manual (gas/electric)	\$25,142	\$18,481	158	158	3969.29	112.11	12569.81	1.1839E11	2.0122E10	45.7577381	900.65844	106	106	2474.3228	3969.29	128166819	7.76043058	2.0122E10	900.65844			
Europe	123	28.74	281	65.65							123	123	5947026	137170534	1.86469061	3.52493198	2.30209E10	41.2721971	965.980308	147	147	28277.4422	4171484	11711.9826	137170534	1.48422824	3.52493198	2.30209E10	41.2721971	965.980308
USA	147	34.35	428	100.00							147	147	5440565	131170534	1.86469061	3.52493198	2.30209E10	41.2721971	965.980308	147	147	28277.4422	4171484	11711.9826	137170534	1.48422824	3.52493198	2.30209E10	41.2721971	965.980308

Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The procedures that are used to create the dashboard are: PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
1. An **ODS LAYOUT GRIDDED ROWS=3 COLUMNS=3** statement tells SAS to create a gridded layout consisting of one row and two columns.
2. Multiple **ODS REGION** statements to tell SAS to produce the row and column of results.
3. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
4. An **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ODS HTML5 PATH="/home/kirklafler/Results"
  body="Dashboard #3 - (3x3) Layout.html"
  (url=None);
```

```
title1 font=impact bold h=12 c=blue "Analytics Dashboard" ;
ods layout start rows=3 columns=3 ;
```

```
ods region ; /* Row 1 Column 1 */
title1 "Cars Metadata Contents" ;
proc contents data=sashelp.cars nods ;
run ;
```

```
ods region ; /* Row 1 Column 2 */
ods select nlevels ;
title1 "NLEVELS (Data Cardinality) Results" ;
proc freq data=sashelp.cars NLEVELS ;
```

```

run ;

ods region ; /* Row 1 Column 3 */
title1 "Origin PieChart" ;
proc sgpie data=sashelp.cars ;
  pie Origin / datalabeldisplay=all ;
run ;
title1 "Type PieChart" ;
proc sgpie data=sashelp.cars ;
  pie Type / datalabeldisplay=all ;
run ;
title ;

ods region ; /* Row 2 Column 1 */
title1 "Origin and Type Frequency Distributions" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 2 Column 2 */
title1 "Origin Vertical BarChart" ;
proc sgplot data=sashelp.cars ;
  vbar Origin / group=Origin datalabel ;
run ;
title1 "Type Vertical BarChart" ;
proc sgplot data=sashelp.cars ;
  vbar Type / group=Type datalabel ;
run ;

ods region ; /* Row 2 Column 3 */
title1 "Origin and Type Descriptive Statistics" ;
proc means data=sashelp.cars n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;

ods region ; /* Row 3 Column 1 */
title1 "Origin and Type Frequency Distribution" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 3 Column 2 */
title1 "PROC REPORT Results" ;
proc report data=sashelp.cars ;
  columns Origin Type Make Model MSRP Invoice ;
  define Origin / order ;
  define Type / order ;
  define Make / order ;
  define Model / display ;
  define MSRP / display format=dollar10. ;
  define Invoice / display format=dollar10. ;
run ;

ods region ; /* Row 3 Column 3 */
ods select moments ;
title1 "Cars MOMENTS Univariate Statistics" ;
proc univariate data=sashelp.cars ;
  class Origin ;
run ;

ods layout end ;
ods html5 close ;

```

Example #5 – (3x3) Dashboard Layout with Custom Colors

PROC CONTENTS, PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE

Analytics Dashboard

Cars Metadata Contents
The CONTENTS Procedure

Data Set Name	SASHELP.CARS	Observations	428
Member Type	DATA	Variables	15
Engine	V6	Indexes	0
Created	08/05/2020 18:11:21	Observation Length	132
Last Modified	08/05/2020 18:11:21	Deleted Observations	0
Protection		Compressed	NO
Data Set Type	2009 Car Data	Sorted	YES
Label	SQLAREX_X08_04_LINEX_X08_04_ALPHA_TRUSA		
Data Representation	LNUNIX_04_4		
Encoding	us-ascii ASCII (ANSI)		

Engineered Dependent Information

Data Set Page Size	65536
Number of Data Set Pages	2
First Data Page	1
Max Obs per Page	430
Obs in First Data Page	428
Number of Data Set Reports	0
Pathname	libname=lib00\SAS\Foundation\3\4\cars\cars.sas7catd
Release Created	5:06:17MT
Host Created	Linux
Jobid Number	6453753
Access Permission	rw-r--r--
Owner Name	solomon
File Size	15243
File Size (bytes)	156608

Alphabetic List of Variables and Attributes



#	Variable	Type	Len	Format	Label
1	Cylinders	Num	8		
2	Displacement	Char	8		
3	EngineSize	Num	8		Engine Size (L)
4	Horsepower	Num	8		
5	Invoice	Num	8	DOLLAR8.	
6	Length	Num	8		Length (IN)
7	MPG_City	Num	8		MPG (City)
8	MPG_Highway	Num	8		MPG (Highway)
9	MPG_Unladen	Num	8	DOLLAR8.	
10	Make	Char	13		
11	Model	Char	40		
12	Origin	Char	8		
13	Type	Char	8		
14	Weight	Num	8		Weight (LBS)
15	Wheelbase	Num	8		Wheelbase (IN)

Sort Information

Sortkey	Miss Type
Validated	YES
Character Set	ASCII

NLEVELS (Data Cardinality) Results
The FREQ Procedure



Variable	Label	Levels	Missing Levels	Normalizing Levels
Make		36	0	36
Model		425	0	425
Type		6	0	6
Origin		3	0	3
Displacement		3	0	3
Horsepower		410	0	410
Invoice		425	0	425
EngineSize	Engine Size (L)	43	0	43
Cylinders		8	1	7
Horsepower		110	0	110
MPG_City	MPG (City)	28	0	28
MPG_Highway	MPG (Highway)	33	0	33
Weight	Weight (LBS)	348	0	348
Wheelbase	Wheelbase (IN)	45	0	45
Length	Length (IN)	67	0	67



Origin and Type Frequency Distributions
The FREQ Procedure

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	166	38.82	166	38.82
Europe	122	28.74	288	67.56
USA	140	32.43	428	100.00

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.70	3	0.70
SUV	60	14.02	63	14.72
Sedan	152	35.28	325	75.00
Truck	24	5.61	349	80.61
Wagon	30	7.01	428	100.00



Origin and Type Descriptive Statistics
The MEANS Procedure

Origin	Type	N	Variable	Label	N	Mean	Minimum	Maximum	Range	Mean	Median	Mode	Std Dev	Variance	
Asia	SUV	3	Invoice	Engine Size (L)	3	19115.00	20512.00	1465.00	18265.00	20162.00	725.000279	62000.00	507.846717	257008.33	
			Cylinders	3	1781.00	1928.00	101.00	1829.33	1684.00	1.000000	6.577503	0.333333		0.111111	
			Horsepower	3	1400000	2200000	800000	6333333.33	6100000	4000000	1800000	1800000	1800000	1800000	1800000
			MPG_City	3	4800000	6000000	1200000	5666666.67	6000000	4000000	4000000	4000000	4000000	4000000	4000000
			MPG_Highway	3	11000000	11000000	2700000	9200000.00	9100000	8100000	8100000	8100000	8100000	8100000	8100000
Europe	SUV	25	Invoice	Engine Size (L)	25	17185.00	8465.00	4767.00	25652.00	27865.00	1182.00	14024588	9964.07	6028470.16	
			Cylinders	25	18949.00	9445.00	3594.00	2891.46	2484.33	4407.00	2000.00	6079565	6079565	6079565	
			Horsepower	25	4000000	9000000	4000000	6000000.00	6000000	6000000	6000000	1296944	1466667	1466667	
			MPG_City	25	12000000	32000000	19800000	21400000.00	21000000	21000000	21000000	68102533	3371.68	3371.68	
			MPG_Highway	25	13000000	22000000	9000000	17300000.00	17000000	17000000	17000000	2746879	7463333	7463333	
USA	SUV	17	Invoice	Engine Size (L)	17	12100000	37000000	10000000	21000000.00	21000000	18000000	18000000	18000000	18000000	
			Cylinders	17	3000.00	3596.00	297.00	4108.04	4038.00	4038.00	4038.00	75210000	660779.29	660779.29	
			Horsepower	17	8500000	12900000	3400000	10100000.00	10100000	10100000	10100000	2090000	4906667	4906667	
			MPG_City	17	16300000	17900000	1600000	18833333.33	17900000	17900000	17900000	11473994	13133333	13133333	
			MPG_Highway	17	19100000	20500000	1400000	19850000.00	19850000	19850000	19850000	11473994	13133333	13133333	

Dashboard #4, continued

Origin and Type Frequency Distribution					PROC REPORT Results					Cars MOMENTS Univariate Statistics											
The FREQ Procedure										The UNIVARIATE Procedure											
Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent	Origin	Type	Make	Model	MSRP	Invoice	N	Sum Weights	Sum Observations	Std Deviation	Variance	Kurtosis	Skewness	Uncorrected SS	Corrected SS	Std Error Mean	
Asia	106	36.92	106	36.92	Asia	Hybrid	Honda	Civic Hybrid 4dr manual (gas/electric)	\$20,140	\$18,451	123	123	3991929	11321.0807	128166.19			45.7077381	800.659844	800.659844	
Europe	123	28.74	211	65.66							147	147	4171484	11711.9826	137170534			43.5488351	783.065832	783.065832	
USA	147	34.35	428	100.00							158	158	5480595	9822.95186	96686531.23			51.8687722	2081.08678	2081.08678	
Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent																	
Hybrid	3	0.70	3	0.70							123	123	3991929	11321.0807	128166.19			45.7077381	800.659844	800.659844	
SUV	60	14.02	63	14.72							147	147	4171484	11711.9826	137170534			43.5488351	783.065832	783.065832	
Sedan	262	61.21	325	75.93							158	158	5480595	9822.95186	96686531.23			51.8687722	2081.08678	2081.08678	
Sports	49	11.45	374	87.38																	
Truck	24	5.61	398	92.99																	
Wagon	30	7.01	428	100.00																	

Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The procedures that are used to create the dashboard are: PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
3. An **ODS LAYOUT GRIDDED ROWS=3 COLUMNS=3** statement tells SAS to create a gridded layout consisting of one row and two columns.
4. Multiple **ODS REGION** statements to tell SAS to produce the row and column of results.
5. When producing graphics (e.g., bar charts, pie charts, etc.) the statement **styleattr DATACOLORS=(red blue yellow green purple orange goldenrod cyan)** tells SAS to display the bars and/or pie slices using the specified colors.
6. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
7. The **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ODS HTML5 PATH="/home/kirklafler/Dashboards/Results"
  body="Dashboard #4 - (3x3) Layout with Custom Colors.html"
  (url=None);
```

```
title1 font=impact bold h=12 c=blue "Analytics Dashboard" ;
ods layout start rows=3 columns=3 ;
```

```
ods region ; /* Row 1 Column 1 */
title1 "Cars Metadata Contents" ;
proc contents data=sashelp.cars nods ;
run ;
ods region ; /* Row 1 Column 2 */
ods select nlevels ;
```

```

title1 "NLEVELS (Data Cardinality) Results" ;
proc freq data=sashelp.cars NLEVELS ;
run ;

ods region ; /* Row 1 Column 3 */
title1 "Origin Pie Chart" ;
proc sgpie data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  pie Origin / datalabeldisplay=all ;
run ;
title1 "Type Pie Chart" ;
proc sgpie data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  pie Type / datalabeldisplay=all ;
run ;
title ;

ods region ; /* Row 2 Column 1 */
title1 "Origin and Type Frequency Distributions" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 2 Column 2 */
title1 "Origin Vertical Bar Chart" ;
proc sgplot data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  vbar Origin / group=Origin datalabel nooutline ;
run ;
title1 "Type Vertical Bar Chart" ;
proc sgplot data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  vbar Type / group=Type datalabel nooutline ;
run ;

ods region ; /* Row 2 Column 3 */
title1 "Origin and Type Descriptive Statistics" ;
proc means data=sashelp.cars n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;

ods region ; /* Row 3 Column 1 */
title1 "Origin and Type Frequency Distribution" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 3 Column 2 */
title1 "PROC REPORT Results" ;
proc report data=sashelp.cars ;
  columns Origin Type Make Model MSRP Invoice ;
  define Origin / order ;
  define Type / order ;
  define Make / order ;
  define Model / display ;
  define MSRP / display format=dollar10. ;
  define Invoice / display format=dollar10. ;
run ;

ods region ; /* Row 3 Column 3 */
ods select moments ;
title1 "Cars MOMENTS Univariate Statistics" ;
proc univariate data=sashelp.cars ;
  class Origin ;
run ;

ods layout end ;
ods html5 close ;

```

Example #6 – (3x3) Dashboard Layout with Custom Colors and Enlarged Fonts

PROC CONTENTS, PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE

Analytics Dashboard

Cars Metadata Contents
The CONTENTS Procedure

Data Set Name	SASHelpCars	Observations	423
Member Type	DATA	Variables	15
Engine	V6	Indexes	0
Created	08/05/2020 18:11:31	Observation Length	152
Last Modified	08/05/2020 18:11:31	Deleted Observations	0
Protection		Compressed	NO
Data Set Type	2004 Car Data	Sorted	YES
Label	SOLARIS_X86_64_LINUX_X86_64_ALPHA_TRU64_LINUX_IA64		
Representation			
Encoding	us-ascii (ANSI)		

NLEVELS (Data Cardinality) Results
The FREQ Procedure

Variable	Number of Variable Levels		
	Label	Levels	Missing Levels
Make		38	0
Model		426	0
Type		6	0
Origin		3	0
DriveTrain		3	0
MSRP		412	0
Invoice		425	0
EngineSize	Engine Size (L)	43	0
Cylinders		8	1
Horsepower		112	0
MPG_City	MPG (City)	28	0
MPG_highway	MPG (Highway)	33	0
Weight	Weight (LBS)	348	0
Wheelbase	Wheelbase (IN)	40	0
Length	Length (IN)	67	0

Enginemed dependent information

Data Set Page Size	65230
Number of Data Set Pages	2
First Data Page	1
Max Obs per Page	430
Obs in First Data Page	426
Number of Data Set Repairs	0
Filename	sjbr/sas/940/SASFoundation9.4/sashelp/cars.sas7bde
Release Created	8,340197
Host Created	Linux
Index Number	135542
Access Permission	rw-r--r--
Owner Name	odowner
File Size	16020
File Size (Bytes)	16658


Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
8	Cylinders	Num	8		
9	DriveTrain	Char	8		
10	Horsepower	Num	8		Engine Size (L)
11	Invoice	Num	8	DOLLAR.	
12	Length	Num	8		Length (IN)
13	MPG_City	Num	8		MPG (City)
14	MPG_highway	Num	8		MPG (Highway)
15	MSRP	Num	8	DOLLAR.	
16	Model	Char	40		
17	Make	Char	40		
18	Type	Char	8		
19	Weight	Num	8		Weight (LBS)
20	Wheelbase	Num	8		Wheelbase (IN)


Sort Information

SortOrder	None
Validated	YES
Character Set	ANSI

Origin Pie Chart



Type Pie Chart




Origin and Type Frequency Distributions

The FREQ Procedure


Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	158	36.92	158	36.92
Europe	123	28.74	281	65.66
USA	147	34.38	428	100.00

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.71	3	0.71
SUV	60	14.02	63	14.72
Sedan	262	61.21	325	75.93
Sports	49	11.45	374	87.38
Truck	30	5.61	404	93.99
Wagon	24	5.70	428	100.00

Origin Vertical Bar Chart



Type Vertical Bar Chart



Origin and Type Descriptive Statistics

The MEANS Procedure

Origin	Type	N	Mean	Minimum	Maximum	Range	Mean	Median	Mode	Std Dev	Variance			
Asia	Hybrid	3	19110.00	20510.00	1400.00	19000.00	20140.00		726.485679	528300.00				
		Invoice	19110.00	20510.00	1400.00	19000.00	20140.00		726.485679	528300.00				
		EngineSize	1.000000	2.000000	0.800000	1.633333	1.500000		0.2114540	0.1133133				
		Cylinders	3.000000	6.000000	1.000000	2.666667	4.000000	4.000000	3.5727083	0.2333333				
		Horsepower	37.000000	110.000000	37.000000	92.000000	93.000000		18.5320140	343.000000				
		MPG_City	18.000000	24.000000	14.000000	25.000000	27.000000		21.6666667	45.0000000				
		MPG_highway	24.000000	30.000000	16.000000	26.000000	31.000000		26.800140	32.0000000				
		Weight	1800.00	4000.00	1500.00	2400.00	2700.00		2187.00000	71.0000000				
		Wheelbase (IN)	37.000000	46.000000	37.000000	41.000000	43.000000		40.800140	32.3333333				
		Length (IN)	158.000000	178.000000	20.000000	163.333333	178.000000		164.800140	133.3333333				
		Europe	SUV	25	17163.00	64800.00	4763.00	29660.00	27896.00		11842.96	14034986		
				Invoice	17163.00	64800.00	4763.00	29660.00	27896.00		11842.96	14034986		
				EngineSize	2.000000	6.000000	1.000000	3.472222	3.500000	4.000000	2.924841	0.6666667		
				Cylinders	25	6.000000	8.000000	4.000000	5.000000	6.000000	5.250841	1.6666667		
				Horsepower	25	130.000000	325.000000	165.000000	214.000000	215.000000	185.000000	48.720513	2371.49	
MPG_City	25			15.000000	22.000000	10.000000	17.000000	18.000000	17.8888889	26.84378				
MPG_highway	25			17.000000	27.000000	10.000000	21.000000	21.000000	19.098814	5.0000000				
Weight	25			3000.00	6500.00	3000.00	4100.00	4100.00	3762.00000	702.1000000				
Wheelbase (IN)	25			98.000000	129.000000	31.000000	108.000000	107.000000	103.9000000	7.080030	49.5666667			
Length (IN)	25			193.000000	238.000000	45.000000	194.000000	196.000000	197.2000000	11.474004	131.3333333			
USA	Sedan			84	10268.00	69760.00	4547.00	20749.00	20300.00	13388.00	9611.14	8241554.01		
				Invoice	10268.00	69760.00	4547.00	20749.00	20300.00	13388.00	9611.14	8241554.01		
				EngineSize	84	1.800000	4.000000	1.000000	2.672222	2.500000	2.000000	1.646224	0.6462244	
				Cylinders	84	4.000000	8.000000	4.000000	5.125000	4.000000	4.800000	1.181349	1.3333333	
				Horsepower	84	102.000000	340.000000	22.000000	181.875000	187.000000	160.000000	82.282675	6782.47	
		MPG_City	84	16.000000	36.000000	10.000000	23.644444	21.000000	18.000000	4.938846	24.391910			
		MPG_highway	84	23.000000	44.000000	22.000000	29.666667	29.000000	26.000000	4.884866	23.881866			
		Weight	84	2030.00	4800.00	2207.00	3161.37	3342.00	2911.00	584.280109	341.0017			
		Wheelbase (IN)	84	93.000000	124.000000	30.000000	103.666667	105.000000	102.000000	4.666301	41.447470			
		Length (IN)	84	154.000000	224.000000	30.000000	184.000000	186.000000	178.000000	10.450932	109.214994			
		Sports	Sports	17	18738.00	89785.00	7528.00	23910.00	26190.00		17841.96	31232527		
				Invoice	18738.00	89785.00	7528.00	23910.00	26190.00		17841.96	31232527		
				EngineSize	17	1.000000	4.000000	3.000000	2.429611	2.200000	1.800000	0.933747	0.7289911	
				Cylinders	17	2.000000	8.000000	3.000000	3.472222	3.500000	2.000000	0.278644	0.2786444	
				Horsepower	17	17.000000	35.000000	10.000000	25.232143	27.000000	18.000000	17.000000	26.81617	
MPG_City	17			17.000000	26.000000	6.000000	20.232143	20.000000	14.000000	2.113204	6.314170			
MPG_highway	17			23.000000	31.000000	10.000000	26.672814	26.000000	20.000000	2.718410	7.401729			
Weight	17			2190.00	3840.00	1643.00	3009.76	3095.00	2387.00	427.042319	182.8344			
Wheelbase (IN)	17			49.000000	140.000000	37.000000	69.841780	67.000000	60.000000	5.037193	25.392326			
Length (IN)	17			153.000000	179.000000	26.000000	170.000000	174.000000	174.000000	8.215834	67.5000000			
Truck	Truck			8	12850.00	28650.00	13650.00	20363.00	20914.00		8281.29	2789248.41		
				Invoice	12850.00	28650.00	13650.00	20363.00	20914.00		8281.29	2789248.41		
				EngineSize	8	1.000000	4.000000	3.000000	2.666667	2.500000	2.000000	1.646224	0.6462244	
				Cylinders	8	2.000000	6.000000	3.000000	3.262500	3.000000	4.400000	1.859422	1.141011	
				Horsepower	8	4.000000	8.000000	4.000000	5.000000	6.000000	4.000000	1.415134	2.0000000	
		MPG_City	8	14.000000	24.000000	10.000000	19.250000	18.000000	16.000000	5.749871	26.78179			
		MPG_highway	8	14.000000	24.000000	10.000000	19.250000	18.000000	16.000000	5.749871	26.78179			
		Weight	8	17.000000	29.000000	12.000000	22.000000	19.000000	18.000000	5.070635	25.7142857			
		Wheelbase (IN)	8	37.000000	43.000000	29.000000	37.97511	37.000000	37.000000	8.114510	38.81701			
		Length (IN)	8	178.000000	240.000000	30.000000	203.000000	203.000000	198.000000	14.655964	214.7987143			
		Wagon	Wagon	11	11905.00	36395.00	24490.00	23143.73	21445.00		8716.34	7897102.22		
				Invoice	11905.00	36395.00	24490.00	23143.73	21445.00		8716.34	7897102.22		
				EngineSize	11	1.000000	4.000000	3.000000	2.666667	2.500000	2.000000	1.646224	0.6462244	
				Cylinders	11	2.000000	6.000000	3.000000	3.472222	3.500000	2.000000	0.933747	0.7289911	

Dashboard #5, continued

Origin and Type Frequency Distribution The FREQ Procedure					PROC REPORT Results					Cars MOMENTS Univariate Statistics The UNIVARIATE Procedure Variable: MSRP Origin = Asia															
Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent	Origin	Type	Make	Model	MSRP	Invoice	N	Sum Weights	Sum Observations	Sum Squares	Sum Cubes	Sum Fourth Powers	Sum Fifth Powers	Sum Sixth Powers	Sum Seventh Powers	Sum Eighth Powers	Sum Ninth Powers	Sum Tenth Powers	Sum Eleventh Powers	Sum Twelfth Powers	
Asia	158	36.52	158	36.52	Asia	Hybrid	Honda	Civic Hybrid 4dr manual (gas/electric)	\$20,140	\$16,451	158	158	158	158	158	158	158	158	158	158	158	158	158	158	
Europe	123	28.74	281	65.65				Toyota	Prius 4dr (gas/electric)	\$20,510	\$16,508														
USA	147	34.35	428	100.00		SUV	Acura	MDX	\$36,945	\$35,337															
								Honda	Pilot LX	\$27,560	\$24,643														
									CR-V LX	\$19,860	\$16,419														
									Element LX	\$18,890	\$17,334														
								Hyundai	Santa Fe GLS	\$21,589	\$20,201														
								Isuzu	Ascender S	\$31,849	\$29,977														
									Rodeo S	\$20,449	\$19,281														
								Kia	Sorento LX	\$19,835	\$18,633														
								Lexus	GX 470	\$45,700	\$39,833														
									LX 470	\$64,800	\$66,455														
									RX 330	\$39,195	\$34,576														
									Tribute DX 2.0	\$21,087	\$19,742														
									Endeavor XLS	\$30,492	\$28,330														
									Montero XLS	\$33,112	\$30,793														
									Outlander LS	\$19,832	\$17,989														
								Nissan	Pathfinder Armada SE	\$33,840	\$30,815														
									Pathfinder SE	\$27,339	\$25,972														
									Xterra XC VB	\$20,939	\$19,912														
								Suzuki	XL-7 EX	\$23,899	\$22,307														
									Vitara LX	\$17,183	\$16,949														
								Toyota	Scion xB	\$36,899	\$31,927														
									4Runner SR5 VB	\$27,710	\$24,601														
									Highlander VB	\$27,930	\$24,915														
									Land Cruiser	\$54,765	\$47,986														
									RAV4	\$20,290	\$18,593														
								Sedan	Acura	RSX Type S 2dr	\$23,820	\$21,761													
									TSX 4dr	\$28,990	\$24,647														
									Ti 4dr	\$33,189	\$30,299														
									3.5 RL 4dr	\$43,755	\$39,014														
									3.5 RL w/Navigation 4dr	\$46,100	\$41,100														
								Honda	Civic DX 2dr	\$13,270	\$12,175														
									Civic HK 2dr	\$14,170	\$12,998														
									Civic LX 4dr	\$15,890	\$14,531														
									Accord LX 2dr	\$19,860	\$17,924														
									Accord EX 2dr	\$22,260	\$20,080														
									Civic EX 4dr	\$17,750	\$16,265														
									Civic S 2dr hatch	\$19,490	\$17,849														
									Accord LX V6 4dr	\$23,760	\$21,428														
									Accord EX V6 2dr	\$26,960	\$24,304														
									Odyssey LX	\$24,950	\$22,498														
									Odyssey EX	\$27,490	\$24,744														
								Hyundai	Accent 2dr hatch	\$15,539	\$14,207														
									Accent GL 4dr	\$11,838	\$11,116														
									Accent GT 2dr hatch	\$11,939	\$11,209														
									Elantra GLS 4dr	\$13,839	\$12,781														
									Elantra GT 4dr	\$15,389	\$14,207														
									Elantra GT 4dr hatch	\$16,389	\$14,207														
									Sonata GLS 4dr	\$19,339	\$17,974														
									Sonata LX 4dr	\$20,339	\$18,593														
									XG350 4dr	\$24,999	\$22,055														

Key Points about Code

1. SAS software provides users with numerous procedures for creating dashboard output. The procedures that are used to create the dashboard are: PROC FREQ, PROC SGPIE, PROC SGPLOT, PROC MEANS, PROC REPORT, and PROC UNIVARIATE.
2. An **ODS HTML5 PATH= FILE=** statement tells SAS the destination (or type of medium) to use in creating the dashboard including the destination path (or folder) and the name of the dashboard file.
3. An **ODS LAYOUT GRIDDED ROWS=3 COLUMNS=3** statement tells SAS to create a gridded layout consisting of one row and two columns.
4. Multiple **ODS REGION** statements to tell SAS to produce the row and column of results.
5. When producing enlarged titles and fonts (e.g., titles, footnotes, charts, etc.) the **datalabeldisplay=all** and **datalabelattr=** options tell SAS to display the text associated with bars and/or pie slices using a larger size font.
6. An **ODS LAYOUT END** statement tells SAS to terminate the dashboard layout.
7. An **ODS HTML5 CLOSE** statement tells SAS to render the dashboard content to the dashboard file.

Base-SAS Code:

```
ODS HTML5 PATH="/home/kirklafler/Dashboards/Results"
body="Dashboard #5 - (3x3) Layout with Custom Colors and Enlarged Fonts.html"
(url=None);
```

```
title1 font=impact bold h=12 c=blue "Analytics Dashboard" ;
ods layout start rows=3 columns=3 ;
```

```
ods region ; /* Row 1 Column 1 */
title1 "Cars Metadata Contents" ;
proc contents data=sashelp.cars nods ;
run ;
ods region ; /* Row 1 Column 2 */
```

```

ods select nlevels ;
title1 "NLEVELS (Data Cardinality) Results" ;
proc freq data=sashelp.cars NLEVELS ;
run ;

ods region ; /* Row 1 Column 3 */
title1 bold height=14pt "Origin Pie Chart" ;
proc sgpie data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  pie Origin / datalabeldisplay=all
  datalabelattrs=(Family="Arial" Size=12 Weight=Bold) ;
run ;
title1 bold height=14pt "Type Pie Chart" ;
proc sgpie data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  pie Type / datalabeldisplay=all
  datalabelattrs=(Family="Arial" Size=12 Weight=Bold) ;
run ;
title ;

ods region ; /* Row 2 Column 1 */
title1 "Origin and Type Frequency Distributions" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 2 Column 2 */
ods graphics on / reset=all border=off ;
title1 bold height=16pt "Origin Vertical Bar Chart" ;
proc sgplot data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  vbar Origin / group=Origin datalabel nooutline
  datalabelattrs=(Family="Arial" Size=14 Weight=Bold) ;
  xaxis fitpolicy=rotatealways labelattrs=(family='Arial Black') ;
  xaxis valueattrs=(size=14) labelattrs=(size=14 weight=bold) ;
  yaxis valueattrs=(size=14) labelattrs=(size=14 weight=bold) ;
  keylegend 'bar' 'vline' / title='Origin Legend'
  titleattrs=(color=blue size=14pt)
  valueattrs=(size=14pt) noborder ;
run ;
title1 bold height=16pt "Type Vertical Bar Chart" ;
proc sgplot data=sashelp.cars ;
  styleattrs DATACOLORS=(red blue yellow green purple orange goldenrod cyan) ;
  vbar Type / group=Type datalabel nooutline
  datalabelattrs=(Family="Arial" Size=12 Weight=Bold) ;
  xaxis fitpolicy=rotatealways labelattrs=(family='Arial Black') ;
  xaxis valueattrs=(size=14) labelattrs=(size=14 weight=bold) ;
  yaxis valueattrs=(size=14) labelattrs=(size=14 weight=bold) ;
  keylegend 'bar' 'vline' / title='Type Legend'
  titleattrs=(color=blue size=14pt)
  valueattrs=(size=12pt) noborder ;
run ;

ods region ; /* Row 2 Column 3 */
title1 "Origin and Type Descriptive Statistics" ;
proc means data=sashelp.cars n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;

ods region ; /* Row 3 Column 1 */
title1 "Origin and Type Frequency Distribution" ;
proc freq data=sashelp.cars ;
  tables Origin Type ;
run ;

ods region ; /* Row 3 Column 2 */
title1 "PROC REPORT Results" ;
proc report data=sashelp.cars ;
  columns Origin Type Make Model MSRP Invoice ;
  define Origin / order ;
  define Type / order ;
  define Make / order ;
  define Model / display ;

```

```

define MSRP / display format=dollar10. ;
define Invoice / display format=dollar10. ;
run ;

ods region ; /* Row 3 Column 3 */
ods select moments ;
title1 "Cars MOMENTS Univariate Statistics" ;
proc univariate data=sashelp.cars ;
  class Origin ;
run ;

```

```

ods graphics reset ;
ods layout end ;
ods html5 close ;

```

Example #7 – Excel Multi Autofilter Dashboard Report

PROC SORT and PROC REPORT

Excel Multi Autofilter Report

Automobiles by Origin

Origin=Asia

Origin of Car	Type of Ca	Make of Ca	Car Model	MSRP	Invoice Price
Asia	Hybrid	Honda	Insight 2dr (gas/electric)	\$19,110	\$17,911
			Civic Hybrid 4dr manual (gas/electric)	\$20,140	\$18,451
		Toyota	Prius 4dr (gas/electric)	\$20,510	\$18,926
	SUV	Acura	MDX	\$36,945	\$33,337
		Honda	Element LX	\$18,690	\$17,334
			CR-V LX	\$19,860	\$18,419
			Pilot LX	\$27,560	\$24,843
		Hyundai	Santa Fe GLS	\$21,589	\$20,201
		Isuzu	Rodeo S	\$20,449	\$19,261
			Ascender S	\$31,849	\$29,977
		Kia	Sorento LX	\$19,635	\$18,630
		Lexus	RX 330	\$39,195	\$34,576
			GX 470	\$45,700	\$39,838
			LX 470	\$64,800	\$56,455
		Mazda	Tribute DX 2.0	\$21,087	\$19,742
		Mitsubishi	Outlander LS	\$18,892	\$17,569
			Endeavor XLS	\$30,492	\$28,330
			Montero XLS	\$33,112	\$30,763
		Nissan	Xterra XE V6	\$20,939	\$19,512
			Pathfinder SE	\$27,339	\$25,972
			Pathfinder Armada SE	\$33,840	\$30,815
		Suzuki	Vitara LX	\$17,163	\$16,949
			XL-7 EX	\$23,699	\$22,307
		Toyota	RAV4	\$20,290	\$18,553
			4Runner SR5 V6	\$27,710	\$24,801
			Highlander V6	\$27,930	\$24,915
			Sequoia SR5	\$35,695	\$31,827
			Land Cruiser	\$54,765	\$47,986
	Sedan	Acura	RSX Type S 2dr	\$23,820	\$21,761
			TSX 4dr	\$26,990	\$24,647
			TL 4dr	\$33,195	\$30,299
			3.5 RL 4dr	\$43,755	\$39,014
			3.5 RL w/Navigation 4dr	\$46,100	\$41,100
		Honda	Civic DX 2dr	\$12,330	\$11,175

origin - Asia | origin - Europe | origin - USA | +

Excel Multi Autofilter Report Automobiles by Origin

Origin=Europe

Origin of Car	Type of Ca	Make of Car	Car Model	MSRP	Invoice Price
Europe	SUV	BMW	X3 3.0i	\$37,000	\$33,873
			X5 4.4i	\$52,195	\$47,720
		Land Rover	Freelander SE	\$25,995	\$23,969
			Discovery SE	\$39,250	\$35,777
			Range Rover HSE	\$72,250	\$65,807
			Mercedes-Benz	ML500	\$46,470
			G500	\$76,870	\$71,540
		Porsche	Cayenne S	\$56,665	\$49,865
		Volkswagen	Touareg V6	\$35,515	\$32,243
		Volvo	XC90 T6	\$41,250	\$38,851
	Sedan	Audi	A4 1.8T 4dr	\$25,940	\$23,508
			A4 3.0 4dr	\$31,840	\$28,846
			A4 3.0 Quattro 4dr manual	\$33,430	\$30,366
			A4 3.0 Quattro 4dr auto	\$34,480	\$31,388
			A41.8T convertible 2dr	\$35,940	\$32,506
			A6 3.0 4dr	\$36,640	\$33,129
			A6 3.0 Quattro 4dr	\$39,640	\$35,992
			A4 3.0 convertible 2dr	\$42,490	\$38,325
			A6 2.7 Turbo Quattro 4dr	\$42,840	\$38,840
			A4 3.0 Quattro convertible 2dr	\$44,240	\$40,075
	S4 Quattro 4dr	\$48,040	\$43,556		
	A6 4.2 Quattro 4dr	\$49,690	\$44,936		
	A8 L Quattro 4dr	\$69,190	\$64,740		
	BMW	325i 4dr	\$28,495	\$26,155	
		325xi 4dr	\$30,245	\$27,745	
		325Ci 2dr	\$30,795	\$28,245	
		330i 4dr	\$35,495	\$32,525	
		330Ci 2dr	\$36,995	\$33,890	
		330xi 4dr	\$37,245	\$34,115	
		325Ci convertible 2dr	\$37,995	\$34,800	
		525i 4dr	\$39,995	\$36,620	
		330Ci convertible 2dr	\$44,295	\$40,530	
		530i 4dr	\$44,995	\$41,170	
		545i 4dr	\$54,995	\$50,370	

Excel Multi Autofilter Report Automobiles by Origin

Origin=USA

Origin of Car	Type of Ca	Make of Ca	Car Model	MSRP	Invoice Price	
USA	SUV	Buick	Rendezvous CX	\$26,545	\$24,085	
			Rainier	\$37,895	\$34,357	
		Cadillac	SRX V8	\$46,995	\$43,523	
			Escalade	\$52,795	\$48,377	
		Chevrolet	Tracker	\$20,255	\$19,108	
			TrailBlazer LT	\$30,295	\$27,479	
			Tahoe LT	\$41,465	\$36,287	
			Suburban 1500 LT	\$42,735	\$37,422	
			Dodge	Durango SLT	\$32,235	\$29,472
		Ford	Escape XLS	\$22,515	\$20,907	
			Explorer XLT V6	\$29,670	\$26,983	
			Expedition 4.6 XLT	\$34,560	\$30,468	
			Excursion 6.8 XLT	\$41,475	\$36,494	
			GMC	Envoy XUV SLE	\$31,890	\$28,922
			Yukon 1500 SLE	\$35,725	\$31,361	
			Yukon XL 2500 SLT	\$46,265	\$40,534	
		Hummer	H2	\$49,995	\$45,815	
		Jeep	Liberty Sport	\$20,130	\$18,973	
			Wrangler Sahara convertible 2dr	\$25,520	\$23,275	
			Grand Cherokee Laredo	\$27,905	\$25,686	
		Lincoln	Aviator Ultimate	\$42,915	\$39,443	
			Navigator Luxury	\$52,775	\$46,360	
		Mercury	Mountaineer	\$29,995	\$27,317	
		Pontiac	Aztek	\$21,595	\$19,810	
		Saturn	VUE	\$20,585	\$19,238	
		Sedan	Buick	Century Custom 4dr	\$22,180	\$20,351
				Regal LS 4dr	\$24,895	\$22,835
				LeSabre Custom 4dr	\$26,470	\$24,282
				Regal GS 4dr	\$28,345	\$26,047
				LeSabre Limited 4dr	\$32,245	\$29,566
Park Avenue 4dr	\$35,545			\$32,244		
Park Avenue Ultra 4dr	\$40,720			\$36,927		
	Cadillac	CTS VVT 4dr	\$30,835	\$28,575		
		Escalade	\$48,445	\$43,650		

Key Points about Code

1. SAS Output Delivery System (ODS) provides users with the ability to create Excel dashboards, reports, and spreadsheet results using the ODS Excel destination. Any procedure output, such as PROC REPORT, PROC FREQ, PROC MEANS, PROC SGPLOT, and countless others, can be automatically written to an open Excel spreadsheet.
2. The SASHELP.CARS dataset is sorted using **PROC SORT** in ascending order by the ORIGIN and MSRP variables.
3. An **ODS EXCEL FILE=** statement tells SAS the path / folder where the spreadsheet is to be written along with the assignment of its physical name.
4. A few **ODS options are specified to** tell SAS to create and name multiple sheets with the **sheet_interval="bygroup"** option, assign the Origin variable's value to each sheet with the **sheet_label="origin"** option, embed titles into the spreadsheet with the **embedded_titles="yes"** option, freeze six (6) rows at the top of the spreadsheet with the **frozen_headers="6"** option so these rows remain fixed in-place during vertical scrolling, and assign automatic filtering (or subsetting) to the second and third variables (or columns) with the **autofilter="2-3"** option.
5. Produce detailed results using **PROC REPORT** and **TITLE** statements.
6. An **ODS Excel CLOSE** statement tells SAS to render the PROC REPORT results representing the dashboard contents to the Excel spreadsheet file.

Base-SAS Code:

```
PROC SORT DATA=SASHELP.CARS
          OUT=WORK.Cars_Sorted ;
  BY ORIGIN MSRP ;
RUN ;
```

```
ODS Excel FILE="/Dashboards/Results/Dashboard #6 - Excel Autofilter Report.xlsx"
          OPTIONS(sheet_interval="bygroup"
                  sheet_label="origin"
                  embedded_titles="yes"
                  frozen_headers="6"
                  autofilter="2-3") ;
```

```
TITLE1 BOLD HEIGHT=12 "Excel Multi Autofilter Report" ;
TITLE2 BOLD HEIGHT=11 "Automobiles by Origin" ;
PROC REPORT DATA=WORK.Cars_Sorted(KEEP=Origin Type Make Model MSRP Invoice) ;
  BY Origin ;
  COLUMNS Origin Type Make Model MSRP Invoice ;
  DEFINE Origin / ORDER "Origin of Car" ;
  DEFINE Type / ORDER "Type of Car" ;
  DEFINE Make / ORDER "Make of Car" ;
  DEFINE Model / DISPLAY "Car Model" ;
  DEFINE MSRP / DISPLAY "MSRP" ;
  DEFINE Invoice / DISPLAY "Invoice Price" ;
RUN ;
TITLE ;
```

```
ODS Excel CLOSE ;
```

Example #8 – Excel Multi Autofilter Dashboard Report with Traffic Lighting

PROC FORMAT, PROC SORT, and PROC REPORT

Excel Multi Autofilter Report Automobiles by Origin with Traffic Lighting

Origin=Asia

Origin of Car	Make of Car	Type of Car	Car Model	Vehicle MSRP	Invoice Price
Asia	Acura	SUV	MDX	\$36,945	\$33,337
		Sedan	RSX Type S 2dr	\$23,820	\$21,761
			TSX 4dr	\$26,990	\$24,647
			TL 4dr	\$39,195	\$30,299
			3.5 RL 4dr	\$43,755	\$39,014
			3.5 RL w/Navigation 4dr	\$46,100	\$41,100
		Sports	NSX coupe 2dr manual S	\$89,765	\$79,978
	Honda	Hybrid	Insight 2dr (gas/electric)	\$19,110	\$17,911
			Civic Hybrid 4dr manual (gas/electric)	\$20,140	\$18,451
		SUV	Element LX	\$18,690	\$17,334
			CR-V LX	\$18,860	\$18,419
			Pilot LX	\$27,560	\$24,843
		Sedan	Civic DX 2dr	\$13,270	\$12,175
			Civic HX 2dr	\$14,170	\$12,996
			Civic LX 4dr	\$15,850	\$14,531
			Civic EX 4dr	\$17,750	\$16,265
			Civic Si 2dr hatch	\$19,490	\$17,849
			Accord LX 2dr	\$18,860	\$17,924
			Accord EX 2dr	\$22,260	\$20,080
			Accord LX V6 4dr	\$23,760	\$21,428
			Odyssey LX	\$24,950	\$22,498
			Accord EX V6 2dr	\$26,960	\$24,304
			Odyssey EX	\$27,450	\$24,744
		Sports	S2000 convertible 2dr	\$33,260	\$29,965
	Hyundai	SUV	Santa Fe GLS	\$21,589	\$20,201
		Sedan	Accent 2dr hatch	\$10,539	\$10,107
			Accent GL 4dr	\$11,839	\$11,116
			Accent GT 2dr hatch	\$11,939	\$11,209
			Elantra GLS 4dr	\$13,839	\$12,781
			Elantra GT 4dr	\$15,389	\$14,207
			Elantra GT 4dr hatch	\$15,389	\$14,207
			Sonata GLS 4dr	\$19,339	\$17,574
			Sonata LX 4dr	\$20,339	\$18,380

origin - Asia origin - Europe origin - USA (+)

Excel Multi Autofilter Report Automobiles by Origin with Traffic Lighting

Origin=Europe

Origin of Car	Make of Car	Type of Car	Car Model	Vehicle MSRP	Invoice Price
Europe	Audi	Sedan	A4 1.8T 4dr	\$25,940	\$23,508
			A4 3.0 4dr	\$31,840	\$28,846
			A4 3.0 Quattro 4dr manual	\$33,430	\$30,366
			A4 3.0 Quattro 4dr auto	\$34,480	\$31,388
			A41.8T convertible 2dr	\$35,940	\$32,506
			A6 3.0 4dr	\$36,640	\$33,129
			A6 3.0 Quattro 4dr	\$39,640	\$35,992
			A4 3.0 convertible 2dr	\$42,490	\$38,325
			A6 2.7 Turbo Quattro 4dr	\$42,840	\$38,840
			A4 3.0 Quattro convertible 2dr	\$44,240	\$40,075
			S4 Quattro 4dr	\$48,040	\$43,556
			A6 4.2 Quattro 4dr	\$49,690	\$44,936
			A8 L Quattro 4dr	\$69,190	\$64,740
		Sports	TT 1.8 convertible 2dr (coupe)	\$35,940	\$32,512
			TT 1.8 Quattro 2dr (convertible)	\$37,390	\$33,891
			TT 3.2 coupe 2dr (convertible)	\$40,590	\$36,739
			RS 6 4dr	\$84,600	\$76,417
		Wagon	A6 3.0 Avant Quattro	\$40,840	\$37,060
			S4 Avant Quattro	\$49,090	\$44,446
	BMW	SUV	X3 3.0i	\$37,000	\$33,873
			X5 4.4i	\$52,195	\$47,720
		Sedan	325i 4dr	\$28,485	\$26,155
			325xi 4dr	\$30,245	\$27,745
			325Ci 2dr	\$30,785	\$28,245
			330i 4dr	\$35,495	\$32,525
			330Ci 2dr	\$36,995	\$33,890
			330xi 4dr	\$37,245	\$34,115
			325Ci convertible 2dr	\$37,995	\$34,800
			525i 4dr	\$39,995	\$36,620
			330Ci convertible 2dr	\$44,295	\$40,530
			530i 4dr	\$44,995	\$41,170
			545iA 4dr	\$54,995	\$50,270
			745i 4dr	\$69,195	\$63,190

origin - Asia **origin - Europe** origin - USA (+)

Excel Multi Autofilter Report
Automobiles by Origin with Traffic Lighting

Origin=USA

Origin of Car	Make of Ca	Type of Ca	Car Model	Vehicle MSRP	Invoice Price
USA	Buick	SUV	Rendezvous CX	\$26,545	\$24,085
			Rainier	\$37,895	\$34,357
		Sedan	Century Custom 4dr	\$22,180	\$20,351
			Regal LS 4dr	\$24,895	\$22,835
			LeSabre Custom 4dr	\$26,470	\$24,282
			Regal GS 4dr	\$28,345	\$26,047
			LeSabre Limited 4dr	\$32,245	\$29,566
			Park Avenue 4dr	\$35,545	\$32,244
			Park Avenue Ultra 4dr	\$40,720	\$36,927
	Cadillac	SUV	SRX V8	\$46,995	\$43,523
			Escalade	\$52,795	\$48,377
		Sedan	CTS VVT 4dr	\$30,835	\$28,575
			Deville 4dr	\$45,445	\$41,650
			Seville SLS 4dr	\$47,955	\$43,841
			Deville DTS 4dr	\$50,595	\$46,362
		Sports	XLR convertible 2dr	\$76,200	\$70,546
		Truck	Escalade EXT	\$52,975	\$48,541
	Chevrolet	SUV	Tracker	\$20,255	\$19,108
			TrailBlazer LT	\$30,295	\$27,479
			Tahoe LT	\$41,465	\$36,287
			Suburban 1500 LT	\$42,735	\$37,422
		Sedan	Aveo 4dr	\$11,890	\$10,965
			Aveo LS 4dr hatch	\$12,585	\$11,802
			Cavalier 2dr	\$14,610	\$13,697
			Cavalier 4dr	\$14,810	\$13,884
			Cavalier LS 2dr	\$16,385	\$15,357
			Malibu 4dr	\$18,995	\$17,434
			Malibu LS 4dr	\$20,370	\$18,639
			Monte Carlo LS 2dr	\$21,825	\$20,026
			Impala 4dr	\$21,900	\$20,095
			Malibu LT 4dr	\$23,495	\$21,551
			Monte Carlo SS 2dr	\$24,225	\$22,222
			Impala LS 4dr	\$25,000	\$22,931

origin - Asia origin - Europe **origin - USA** +

Key Points about Code

1. PROC FORMAT provides users with the ability to create and assign user-defined formats for the application of data standardization, color assignment, and many other valuable coding techniques. In this example, the assignment of colors (i.e., “Green”, “Blue”, “Orange”, and “Red”) are applied to the background in the Excel spreadsheet.
2. The SASHELP.CARS dataset is sorted using **PROC SORT** in ascending order by the ORIGIN and MSRP variables.
3. An **ODS EXCEL FILE=** statement tells SAS the path / folder where the spreadsheet is to be written along with the assignment of its physical name.
4. A few **ODS options** are specified to tell SAS to create and name multiple sheets with the **sheet_interval=“bygroup”** option, assign the Origin variable’s value to each sheet with the **sheet_label=“origin”** option, embed titles into the spreadsheet with the **embedded_titles=“yes”** option, freeze six (6) rows at the top of the spreadsheet with the **frozen_headers=“6”** option so these rows remain fixed in-place during vertical scrolling, and assign automatic filtering (or subsetting) to the second and third variables (or columns) with the **autofilter=“2-3”** option.
5. Produce detailed results using **PROC REPORT** and **TITLE** statements.
6. Define MSRP as an “ANALYSIS” variable so it can be used in a COMPUTE block, along with the assignment of the background colors based on the MSRP value.
7. An **ODS Excel CLOSE** statement tells SAS to render the PROC REPORT results representing the dashboard contents to the Excel spreadsheet file.

Base-SAS Code:

```
PROC FORMAT ;
  Value MSRPFmt LOW - < 20000 = 'Green'
                20000 - < 30000 = 'Blue'
                30000 - < 40000 = 'Orange'
                40000 - HIGH    = 'Red' ;
RUN ;
```

```
PROC SORT DATA=SASHELP.CARS
  OUT=WORK.Cars_Sorted ;
  BY Origin MSRP ;
```

RUN ;

```
ODS Excel FILE="/Dashboards/Results/Dashboard #7 - Excel Autofilter Report with Traffic Lighting.xlsx"
```

```
    OPTIONS(sheet_interval="bygroup"
           sheet_label="origin"
           embedded_titles="yes"
           frozen_headers="6"
           autofilter="2-3") ;
```

```
TITLE1 BOLD HEIGHT=12 "Excel Multi Autofilter Report" ;
TITLE2 BOLD HEIGHT=11 "Automobiles by Origin with Traffic Lighting" ;
PROC REPORT DATA=WORK.Cars_Sorted(KEEP=Origin Type Make Model MSRP Invoice)
    STYLE(Header)={BackGround=Blue ForeGround=White Font=(Arial, 10pt, Bold)} ;
```

```
    BY Origin ;
```

```
    COLUMNS Origin Make Type Model MSRP Invoice ;
```

```
    DEFINE Origin / ORDER "Origin of Car" ;
```

```
    DEFINE Type / ORDER "Type of Car" ;
```

```
    DEFINE Make / ORDER "Make of Car" ;
```

```
    DEFINE Model / DISPLAY "Car Model" ;
```

```
    DEFINE MSRP / ANALYSIS "Vehicle MSRP"
```

```
        STYLE(Column)=[FontWeight=bold BackGround=MSRPFmt.] ;
```

```
    DEFINE Invoice / DISPLAY "Invoice Price" ;
```

```
    COMPUTE MSRP ;
```

```
        CALL DEFINE (_COL_, "STYLE", "STYLE={ForeGround=White}") ;
```

```
    ENDCOMP ;
```

RUN ;

```
ODS Excel close ;
```

Example #9 – Traffic Lighting to Rows (Background)

PROC SORT, ODS EXCEL, and PROC REPORT COMPUTE Block

Detailed Vehicle Listing				
Country of Origin	Make of Vehicle	Vehicle Type	Vehicle Model	Vehicle MSRP
Asia	Acura	SUV	MDX	\$36,945
		Sedan	RX Type S 2dr	\$23,820
			TSX 4dr	\$26,990
			TL 4dr	\$33,195
			3.5 RL 4dr	\$43,755
			3.5 RL w/Navigation 4dr	\$46,100
		Sports	NSX coupe 2dr manual S	\$69,765
	Honda	Hybrid	Insight 2dr (gas/electric)	\$19,110
			Civic Hybrid 4dr manual (gas/electric)	\$20,140
		SUV	Element LX	\$18,690
			CR-V LX	\$19,860
			Pilot LX	\$27,560
		Sedan	Civic DX 2dr	\$13,270
			Civic HX 2dr	\$14,170
			Civic LX 4dr	\$15,850
			Civic EX 4dr	\$17,750
			Civic Si 2dr hatch	\$19,490
			Accord LX 2dr	\$19,860
			Accord EX 2dr	\$22,260
			Accord LX V6 4dr	\$23,760
			Odyssey LX	\$24,950
			Accord EX V6 2dr	\$26,960
			Odyssey EX	\$27,450
		Sports	S2000 convertible 2dr	\$33,260
	Hyundai	SUV	Santa Fe GLS	\$21,589
		Sedan	Accent 2dr hatch	\$10,539
			Accent GL 4dr	\$11,839
			Accent GT 2dr hatch	\$11,939
			Elantra GLS 4dr	\$13,839
			Elantra GT 4dr	\$15,389

Key Points about Code

1. **PROC SORT** to order the SASHELP.CARS dataset in ascending order by the ORIGIN, MAKE, TYPE, MODEL, and MSRP variables.
2. An **ODS EXCEL FILE=** statement tells SAS the path / folder where the spreadsheet is to be written along with the assignment of its physical name, and a style definition, STYLES.MINIMAL, with the **STYLE=** parameter.
3. Produce detailed results using **PROC REPORT** and **TITLE** statements.
4. Define MSRP so it can be used in a **COMPUTE block**, along with the assignment of the background colors based on the MSRP value used in the COMPUTE block logic. In this example, the assignment of colors (i.e., “Green”, “Blue”, “Orange”, and “Red”) are applied to the background in the Excel spreadsheet.
5. An **ODS Excel CLOSE** statement tells SAS to render the PROC REPORT results representing the dashboard contents to the Excel spreadsheet file.

Base-SAS Code:

```

PROC SORT DATA=SASHELP.CARS
      OUT=WORK.CARS_SORTED ;
  BY Origin Make Type Model MSRP ;
RUN ;

ODS Excel FILE = 'c:\Custom Row Traffic Lighting.xlsx'
      STYLE = styles.minimal ;

TITLE "Detailed Vehicle Listing" ;
PROC REPORT DATA=WORK.Cars_Sorted ;
  COLUMNS Origin Make Type Model MSRP ;
  DEFINE Origin / ORDER 'Country of Origin' ;
  DEFINE Make / ORDER 'Make of Vehicle' ;
  DEFINE Type / ORDER 'Vehicle Type' ;
  DEFINE Model / DISPLAY 'Vehicle Model' ;
  DEFINE MSRP / ORDER 'Vehicle MSRP' ;
  DEFINE MSRP / ORDER ;
  COMPUTE MSRP ;
    IF MSRP < 20000 THEN
      CALL DEFINE (_ROW_, 'STYLE', 'STYLE=[BACKGROUND=GREEN FOREGROUND=WHITE FONT_WEIGHT=BOLD]' ) ;
    ELSE IF MSRP IN (20000:29999) THEN
      CALL DEFINE (_ROW_, 'STYLE', 'STYLE=[BACKGROUND=BLUE FOREGROUND=WHITE FONT_WEIGHT=BOLD]' ) ;
    ELSE IF MSRP IN (30000:39999) THEN
      CALL DEFINE (_ROW_, 'STYLE', 'STYLE=[BACKGROUND=YELLOW FOREGROUND=BLACK FONT_WEIGHT=BOLD]' ) ;
    ELSE IF MSRP >= 40000 THEN
      CALL DEFINE (_ROW_, 'STYLE', 'STYLE=[BACKGROUND=RED FOREGROUND=WHITE FONT_WEIGHT=BOLD]' ) ;
  ENDCOMP ;
RUN ;

ODS Excel close ;

```

Example #10 – Traffic Lighting to Column (Foreground Text)

PROC FORMAT, ODS EXCEL, and PROC REPORT

Origin	Make	Type	Model	Vehicle MSRP
Asia	Kia	Wagon	Rio Cinco	\$11,905
Asia	Toyota	Truck	Tacoma	\$12,800
Asia	Scion	Wagon	xB	\$14,165
Asia	Mazda	Truck	B2300 SX Regular Cab	\$14,840
Asia	Toyota	Truck	Tundra Regular Cab V6	\$16,495
Asia	Suzuki	Wagon	Aerio SX	\$16,497
Asia	Toyota	Wagon	Matrix XR	\$16,695
Asia	Mitsubishi	Wagon	Lancer Sportback LS	\$17,495
Asia	Nissan	Truck	Frontier King Cab XE V6	\$19,479
Asia	Subaru	Wagon	Forester X	\$21,445
Asia	Mazda	Truck	B4000 SE Cab Plus	\$22,350
Asia	Subaru	Wagon	Outback	\$23,895
Asia	Subaru	Truck	Baja	\$24,520
Asia	Toyota	Truck	Tundra Access Cab V6 SR5	\$25,935
Asia	Nissan	Truck	Titan King Cab XE	\$26,650
Asia	Nissan	Wagon	Murano SL	\$28,739
Asia	Lexus	Wagon	IS 300 SportCross	\$32,455
Asia	Infiniti	Wagon	FX35	\$34,895
Asia	Infiniti	Wagon	FX45	\$36,395

Europe	Volkswagen	Wagon	Jetta GL	\$19,005
Europe	Volkswagen	Wagon	Passat GLS 1.8T	\$24,955
Europe	Volvo	Wagon	V40	\$26,135
Europe	BMW	Wagon	325xi Sport	\$32,845
Europe	Mercedes-Benz	Wagon	C240	\$33,780
Europe	Volvo	Wagon	XC70	\$35,145
Europe	Volkswagen	Wagon	Passat W8	\$40,235
Europe	Audi	Wagon	A6 3.0 Avant Quattro	\$40,840
Europe	Saab	Wagon	9-5 Aero	\$40,845
Europe	Audi	Wagon	S4 Avant Quattro	\$49,090
Europe	Mercedes-Benz	Wagon	E320	\$50,670
Europe	Mercedes-Benz	Wagon	E500	\$60,670

USA	Ford	Truck	Ranger 2.3 XL Regular Cab	\$14,385
USA	GMC	Truck	Canyon Z85 SL Regular Cab	\$16,530
USA	Pontiac	Wagon	Vibe	\$17,045
USA	Ford	Wagon	Focus ZTW	\$17,475
USA	Dodge	Truck	Dakota Regular Cab	\$17,630
USA	Chevrolet	Truck	Colorado Z85	\$18,760
USA	Dodge	Truck	Ram 1500 Regular Cab ST	\$20,215
USA	Dodge	Truck	Dakota Club Cab	\$20,300
USA	Chevrolet	Truck	Silverado 1500 Regular Cab	\$20,310
USA	Ford	Truck	F-150 Regular Cab XL	\$22,010
USA	Chevrolet	Wagon	Malibu Maxx LS	\$22,225
USA	Ford	Wagon	Taurus SE	\$22,290
USA	Mercury	Wagon	Sable GS	\$22,595
USA	Saturn	Wagon	L300 2	\$23,560
USA	GMC	Truck	Sonoma Crew Cab	\$25,395
USA	GMC	Truck	Sierra Extended Cab 1500	\$25,717
USA	GMC	Truck	Sierra HD 2500	\$29,322
USA	Chrysler	Wagon	Pacifica	\$31,230
USA	Ford	Truck	F-150 Supercab Lariat	\$33,540
USA	Chevrolet	Truck	Avalanche 1500	\$36,100
USA	Chevrolet	Truck	Silverado SS	\$40,340
USA	Chevrolet	Truck	SSR	\$41,995
USA	Cadillac	Truck	Escalade EXT	\$52,975

Key Points about Code

1. **PROC SORT** to order the SASHELP.CARS dataset in ascending order by the ORIGIN and MSRP variables.
2. **PROC FORMAT** to assign “custom” colors to a user-defined format.
3. An **ODS EXCEL FILE=** statement tells SAS the path / folder where the spreadsheet is to be written along with the assignment of its physical name.
4. Produce detailed results using **PROC REPORT** and **TITLE** statements. A style definition for the **HEADER component** of PROC REPORT is specified (Background, Foreground, and Font) with the **STYLE=** parameter.
5. A **DEFINE statement** as an ANALYSIS variable with the user-defined format name, MSRPFmt., to assign the foreground colors based on the MSRP value specified in the PROC FORMAT. In this example, the assignment of colors (i.e., “Green”, “Blue”, “Orange”, and “Red”) are applied to the foreground column in the Excel spreadsheet.
6. An **ODS Excel CLOSE** statement tells SAS to render the PROC REPORT results representing the dashboard contents to the Excel spreadsheet file.

Base-SAS Code:

```
PROC SORT DATA=SASHELP.CARS
          OUT=WORK.CARS_SORTED ;
  BY Origin MSRP ;
RUN ;

PROC FORMAT ;
  Value MSRPFmt LOW - < 20000 = 'Green'
          20000 - < 35000 = 'Blue'
          35000 - < 50000 = 'Orange'
          50000 - HIGH    = 'Red' ;
RUN ;

ODS Excel file=':\Column Traffic Lighting Foreground.xlsx'
  style=styles.minimal ;

PROC REPORT DATA=WORK.CARS_SORTED
           STYLE(Header)={BackGround=Blue ForeGround=White
                          Font=(Arial, 10pt, Bold)} ;
  WHERE UPCASE(Type) IN ("TRUCK", "WAGON") ;
  COLUMNS Origin Make Type Model MSRP ;
  DEFINE MSRP / ANALYSIS 'Vehicle MSRP'
           STYLE(Column)=[FontWeight=bold ForeGround=MSRPFmt.] ;
RUN ;

ODS Excel close ;
```

Example #11 – Traffic Lighting to Column (Background)

PROC FORMAT, ODS EXCEL, and PROC REPORT

Origin	Make	Type	Model	Vehicle MSRP
Asia	Kia	Wagon	Rio Cinco	\$11,905
Asia	Toyota	Truck	Tacoma	\$12,800
Asia	Scion	Wagon	xB	\$14,165
Asia	Mazda	Truck	B2300 SX Regular Cab	\$14,840
Asia	Toyota	Truck	Tundra Regular Cab V6	\$16,495
Asia	Suzuki	Wagon	Aerio SX	\$16,497
Asia	Toyota	Wagon	Matrix XR	\$16,695
Asia	Mitsubishi	Wagon	Lancer Sportback LS	\$17,495
Asia	Nissan	Truck	Frontier King Cab XE V6	\$19,479
Asia	Subaru	Wagon	Forester X	\$21,445
Asia	Mazda	Truck	B4000 SE Cab Plus	\$22,350
Asia	Subaru	Wagon	Outback	\$23,895
Asia	Subaru	Truck	Baja	\$24,520
Asia	Toyota	Truck	Tundra Access Cab V6 SR5	\$25,935
Asia	Nissan	Truck	Titan King Cab XE	\$26,650
Asia	Nissan	Wagon	Murano SL	\$28,739
Asia	Lexus	Wagon	IS 300 SportCross	\$32,455
Asia	Infiniti	Wagon	FX35	\$34,895
Asia	Infiniti	Wagon	FX45	\$36,395

Europe	Volkswagen	Wagon	Jetta GL	\$19,005
Europe	Volkswagen	Wagon	Passat GLS 1.8T	\$24,955
Europe	Volvo	Wagon	V40	\$26,135
Europe	BMW	Wagon	325xi Sport	\$32,845
Europe	Mercedes-Benz	Wagon	C240	\$33,780
Europe	Volvo	Wagon	XC70	\$35,145
Europe	Volkswagen	Wagon	Passat W8	\$40,235
Europe	Audi	Wagon	A6 3.0 Avant Quattro	\$40,840
Europe	Saab	Wagon	9-5 Aero	\$40,845
Europe	Audi	Wagon	S4 Avant Quattro	\$49,090
Europe	Mercedes-Benz	Wagon	E320	\$50,670
Europe	Mercedes-Benz	Wagon	E500	\$60,670

USA	Ford	Truck	Ranger 2.3 XL Regular Cab	\$14,385
USA	GMC	Truck	Canyon Z85 SL Regular Cab	\$16,530
USA	Pontiac	Wagon	Vibe	\$17,045
USA	Ford	Wagon	Focus ZTW	\$17,475
USA	Dodge	Truck	Dakota Regular Cab	\$17,630
USA	Chevrolet	Truck	Colorado Z85	\$18,760
USA	Dodge	Truck	Ram 1500 Regular Cab ST	\$20,215
USA	Dodge	Truck	Dakota Club Cab	\$20,300
USA	Chevrolet	Truck	Silverado 1500 Regular Cab	\$20,310
USA	Ford	Truck	F-150 Regular Cab XL	\$22,010
USA	Chevrolet	Wagon	Malibu Maxx LS	\$22,225
USA	Ford	Wagon	Taurus SE	\$22,290
USA	Mercury	Wagon	Sable GS	\$22,595
USA	Saturn	Wagon	L300 2	\$23,560
USA	GMC	Truck	Sonoma Crew Cab	\$25,395
USA	GMC	Truck	Sierra Extended Cab 1500	\$25,717
USA	GMC	Truck	Sierra HD 2500	\$29,322
USA	Chrysler	Wagon	Pacifica	\$31,230
USA	Ford	Truck	F-150 Supercab Lariat	\$33,540
USA	Chevrolet	Truck	Avalanche 1500	\$36,100
USA	Chevrolet	Truck	Silverado SS	\$40,340
USA	Chevrolet	Truck	SSR	\$41,995
USA	Cadillac	Truck	Escalade EXT	\$52,975

Key Points about Code

1. **PROC SORT** to order the SASHELP.CARS dataset in ascending order by the ORIGIN and MSRP variables.
2. **PROC FORMAT** to assign “custom” colors to a user-defined format.
3. An **ODS EXCEL FILE=** statement tells SAS the path / folder where the spreadsheet is to be written along with the assignment of its physical name.
4. Produce detailed results using **PROC REPORT** and **TITLE** statements. A style definition for the **HEADER component** of PROC REPORT is specified (Background, Foreground, and Font) with the **STYLE=** parameter.
5. A **DEFINE statement** as an ANALYSIS variable with the user-defined format name, MSRPFmt., to assign the foreground colors based on the MSRP value specified in the PROC FORMAT. In this example, the assignment of colors (i.e., “Green”, “Blue”, “Orange”, and “Red”) are applied to the foreground column in the Excel spreadsheet.
6. A **COMPUTE block** to assign the **ForeGround=White** color to the data in the column.
7. An **ODS Excel CLOSE** statement tells SAS to render the PROC REPORT results representing the dashboard contents to the Excel spreadsheet file.

Base-SAS Code:

```
PROC SORT DATA=SASHELP.CARS
          OUT=WORK.CARS_SORTED ;
  BY Origin MSRP ;
RUN ;

PROC FORMAT ;
  Value MSRPFmt LOW - < 20000 = 'Green'
          20000 - < 35000 = 'Blue'
          35000 - < 50000 = 'Orange'
          50000 - HIGH    = 'Red' ;
RUN ;

ODS Excel file='c:\Column Traffic Lighting Background.xlsx'
  style=styles.minimal ;

PROC REPORT DATA=WORK.CARS_SORTED
  STYLE(Header)={BackGround=Blue ForeGround=White
                 Font=(Arial, 10pt, Bold)} ;
WHERE UPCASE(Type) IN ("TRUCK", "WAGON") ;
COLUMNS Origin Make Type Model MSRP ;
DEFINE MSRP / ANALYSIS 'Vehicle MSRP'
  STYLE(Column)=[FontWeight=bold BackGround=MSRPFmt.] ;
COMPUTE MSRP ;
  CALL DEFINE ( _COL_, "STYLE", "STYLE={ForeGround=White}" ) ;
ENDCOMP ;
RUN ;

ODS Excel close ;
```

Example #12 – Listing of SAS-supplied Style Templates

PROC TEMPLATE with LIST STYLES Statement

Base-SAS Code:

```
proc template ;  
  list styles ;  
run ;
```

Results:

Listing of: SASHELP.TMPLMST		
Path Filter is: Styles		
Sort by: PATH/ASCENDING		
Obs	Path	Type
1	Styles	Dir
2	Styles.Analysis	Style
3	Styles.BarrettsBlue	Style
4	Styles.DTree	Style
5	Styles.Daisy	Style
6	Styles.Default	Style
7	Styles.Dove	Style
8	Styles.EGDefault	Style
9	Styles.Excel	Style
10	Styles.FancyPrinter	Style
11	Styles.Festival	Style
12	Styles.FestivalPrinter	Style
13	Styles.Gantt	Style
14	Styles.GrayscalePrinter	Style
15	Styles.HTMLBlue	Style
16	Styles.HTMLEncore	Style
17	Styles.Harvest	Style
18	Styles.HighContrast	Style
19	Styles.HighContrastLarge	Style
20	Styles.Ignite	Style

21	Styles.Illuminate	Style
22	Styles.Journal	Style
23	Styles.Journal1a	Style
24	Styles.Journal2	Style
25	Styles.Journal2a	Style
26	Styles.Journal3	Style
27	Styles.Journal3a	Style
28	Styles.Listing	Style
29	Styles.Meadow	Style
30	Styles.MeadowPrinter	Style
31	Styles.Minimal	Style
32	Styles.MonochromePrinter	Style
33	Styles.Monospace	Style
34	Styles.Moonflower	Style
35	Styles.Netdraw	Style
36	Styles.NoFontDefault	Style
37	Styles.Normal	Style
38	Styles.NormalPrinter	Style
39	Styles.Ocean	Style
40	Styles.Pearl	Style
41	Styles.PearlJ	Style
42	Styles.Plateau	Style
43	Styles.PowerPointDark	Style
44	Styles.PowerPointLight	Style
45	Styles.Printer	Style
46	Styles.Raven	Style
47	Styles.Rtf	Style
48	Styles.Sapphire	Style
49	Styles.SasDocPrinter	Style
50	Styles.SasWeb	Style
51	Styles.Seaside	Style
52	Styles.SeasidePrinter	Style
53	Styles.Snow	Style
54	Styles.StatDoc	Style
55	Styles.Statistical	Style
56	Styles.Word	Style
57	Styles.vaDark	Style
58	Styles.vaHighContrast	Style
59	Styles.vaLight	Style

Example #13 – Styles.SasWeb Style Definition

PROC TEMPLATE with SOURCE STYLES.SasWeb Statement

Base-SAS Code:

```
proc template ;
  source styles.SasWeb ;
run ;
```

Log Results:

```
77          proc template ;
78          source styles.SasWeb ;
define style Styles.SasWeb;
  style fonts /
    'TitleFont2' = ("<<sans-serif>, Helvetica, sans-serif",2,bold italic)
    'TitleFont' = ("<<sans-serif>, Helvetica, sans-serif",4,bold)
    'StrongFont' = ("<<sans-serif>, Helvetica, sans-serif",2,bold)
    'EmphasisFont' = ("<<sans-serif>, Helvetica, sans-serif",2,italic)
    'FixedEmphasisFont' = ("<<monospace>, Courier, monospace",2,italic)
    'FixedStrongFont' = ("<<monospace>, Courier, monospace",2,bold)
    'FixedHeadingFont' = ("<<monospace>, Courier, monospace",2)
    'BatchFixedFont' = ("SAS Monospace, <monospace>, Courier, monospace",2)
```

```

'FixedFont' = ("<monospace>, Courier, monospace",2)
'headingEmphasisFont' = ("<sans-serif>, Helvetica, sans-serif",2,bold italic)
'headingFont' = ("<sans-serif>, Helvetica, sans-serif",2,bold)
'docFont' = ("<sans-serif>, Helvetica, sans-serif",2);
class GraphFonts /
'GraphDataFont' = ("<sans-serif>, <MTsans-serif>",7pt)
'GraphUnicodeFont' = ("<MTsans-serif-unicode>",9pt)
'GraphValueFont' = ("<sans-serif>, <MTsans-serif>",9pt)
'GraphLabel2Font' = ("<sans-serif>, <MTsans-serif>",10pt)
'GraphLabelFont' = ("<sans-serif>, <MTsans-serif>",10pt,bold)
'GraphFootnoteFont' = ("<sans-serif>, <MTsans-serif>",10pt,bold)
'GraphTitleFont' = ("<sans-serif>, <MTsans-serif>",11pt,bold)
'GraphTitle1Font' = ("<sans-serif>, <MTsans-serif>",14pt,bold)
'GraphAnnoFont' = ("<sans-serif>, <MTsans-serif>",10pt);
style color_list
"Colors used in the default style" /
'fgD1' = cx666666 /* Gray */
'fgC1' = cxCCCCCC /* Light Gray */
'fgB1' = cx000000 /* Black */
'bgA1' = cx6495ED /* CornFlower Blue */
'fgA' = cx003399 /* Blue */
'bgA' = cxffffff; /* White */
style colors
"Abstract colors used in the default style" /
'headerfgemph' = color_list('bgA')
'headerbgemph' = color_list('bgA1')
'headerfgstrong' = color_list('bgA')
'headerbgstrong' = color_list('bgA1')
'headerfg' = color_list('bgA')
'headerbg' = color_list('bgA1')
'datafgemph' = color_list('fgB1')
'databgemph' = color_list('bgA')
'datafgstrong' = color_list('fgB1')
'databgstrong' = color_list('bgA')
'datafg' = color_list('fgB1')
'databg' = color_list('bgA')
'batchfg' = color_list('fgA')
'batchbg' = color_list('bgA')
'tableborder' = color_list('fgD1')
'tablebg' = cxxxxxxx
'notefg' = color_list('fgA')
'notebg' = color_list('bgA')
'bylinefg' = color_list('fgA')
'bylinebg' = color_list('bgA')
'captionfg' = color_list('fgA')
'captionbg' = color_list('bgA')
'proctitlefg' = color_list('fgA')
'proctitlebg' = color_list('bgA')
'titlefg' = color_list('fgA')
'titlebg' = color_list('bgA')
'systitlefg' = color_list('fgA')
'systitlebg' = color_list('bgA')
'contentfg' = color_list('fgA')
'contentbg' = color_list('bgA')
'docfg' = color_list('fgA')
'docbg' = color_list('bgA');

. . . . .

end;
NOTE: Path 'Styles.SasWeb' is in: SASHELP.TMPL_EN (via SASHELP.TMPLMST).
79 run ;

```

Example #14 – Single Column Black & White Dashboard

PROC FORMAT, PROC SORT, and PROC REPORT

Analytics Dashboard

SASHELP.CARS Frequency Distribution for Origin and Type


The FREQ Procedure



Number of Variable Levels

Variable	Levels
Origin	3
Type	6

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	158	36.92	158	36.92
Europe	123	28.74	281	65.65
USA	147	34.35	428	100.00

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.70	3	0.70
SUV	60	14.02	63	14.72
Sedan	262	61.21	325	75.93
Sports	49	11.45	374	87.38
Truck	24	5.61	398	92.99
Wagon	30	7.01	428	100.00





Descriptive Statistics for MSRP and Invoice by Origin

The MEANS Procedure

Origin	Type	N Obs	Variable	Label	N	N Miss	Minimum	Maximum	Range	Mean	Median	Mode	Std Dev	Variance	
Asia	Hybrid	3	MSRP		3	0	19110.00	20510.00	1400.00	19920.00	20140.00	.	725.4633679	526300.00	
			Invoice		3	0	17911.00	18926.00	1015.00	18429.33	18451.00	.	507.8467617	257908.33	
			EngineSize	Engine Size (L)	3	0	1.4000000	2.0000000	0.6000000	1.6333333	1.5000000	.	0.3214550	0.1033333	
			Cylinders		3	0	3.0000000	4.0000000	1.0000000	3.6666667	4.0000000	4.0000000	.	0.5773503	0.3333333
			Horsepower		3	0	73.0000000	110.0000000	37.0000000	92.0000000	93.0000000	.	18.5202592	343.0000000	
			MPG_City	MPG (City)	3	0	46.0000000	60.0000000	14.0000000	55.0000000	59.0000000	.	7.8102497	61.0000000	
			MPG_Highway	MPG (Highway)	3	0	51.0000000	66.0000000	15.0000000	56.0000000	51.0000000	51.0000000	.	8.6602540	75.0000000
			Weight	Weight (LBS)	3	0	1850.00	2890.00	1040.00	2490.67	2732.00	.	560.4295971	314081.33	
			Wheelbase	Wheelbase (IN)	3	0	95.0000000	106.0000000	11.0000000	101.3333333	103.0000000	.	5.6862407	32.3333333	
			Length	Length (IN)	3	0	155.0000000	175.0000000	20.0000000	168.3333333	175.0000000	175.0000000	.	11.5470054	133.3333333
SUV	25	25	MSRP		25	0	17163.00	64800.00	47637.00	29569.00	27560.00	.	11842.55	140245895	
			Invoice		25	0	16949.00	56455.00	39506.00	26916.48	24843.00	.	9964.67	99294670.76	
			EngineSize	Engine Size (L)	25	0	2.0000000	5.6000000	3.6000000	3.4720000	3.5000000	2.4000000	.	0.9275955	0.8604333
			Cylinders		25	0	4.0000000	8.0000000	4.0000000	6.0000000	6.0000000	6.0000000	.	1.2909944	1.6666667
			Horsepower		25	0	130.0000000	325.0000000	195.0000000	214.1600000	215.0000000	160.0000000	.	48.7020533	2371.89
			MPG_City	MPG (City)	25	0	13.0000000	22.0000000	9.0000000	17.3200000	17.0000000	17.0000000	.	2.7646579	7.6433333
			MPG_Highway	MPG (Highway)	25	0	17.0000000	27.0000000	10.0000000	21.6800000	21.0000000	19.0000000	.	3.0099834	9.0600000
			Weight	Weight (LBS)	25	0	3020.00	5590.00	2570.00	4108.04	4035.00	.	752.1830163	565779.29	
			Wheelbase	Wheelbase (IN)	25	0	98.0000000	129.0000000	31.0000000	108.0400000	107.0000000	103.0000000	.	7.0680030	49.9566667
			Length	Length (IN)	25	0	163.0000000	208.0000000	45.0000000	184.8400000	186.0000000	167.0000000	.	11.4479984	131.0566667
Sedan	94	94	MSRP		94	0	10280.00	55750.00	45470.00	22763.97	20392.00	15389.00	.	9613.14	92412548.01
			Invoice		94	0	9875.00	48583.00	38708.00	20788.31	18556.00	14207.00	.	8365.61	69948245.14
			EngineSize	Engine Size (L)	94	0	1.5000000	4.5000000	3.0000000	2.6478723	2.5000000	3.5000000	.	0.7789887	0.6068234
			Cylinders		94	0	4.0000000	8.0000000	4.0000000	5.0425532	4.0000000	4.0000000	.	1.1631889	1.3530085
			Horsepower		94	0	103.0000000	340.0000000	237.0000000	181.9787234	167.5000000	160.0000000	.	57.2928675	3282.47
			MPG_City	MPG (City)	94	0	16.0000000	36.0000000	20.0000000	22.8404255	21.0000000	18.0000000	.	4.9389895	24.3936170
			MPG_Highway	MPG (Highway)	94	0	22.0000000	44.0000000	22.0000000	29.9680851	29.0000000	26.0000000	.	4.8845865	23.8591855
			Weight	Weight (LBS)	94	0	2035.00	4802.00	2767.00	3161.37	3242.50	2513.00	.	584.2948509	341400.47
			Wheelbase	Wheelbase (IN)	94	0	93.0000000	124.0000000	31.0000000	105.6489362	105.0000000	107.0000000	.	6.4068301	41.0474720
			Length	Length (IN)	94	0	154.0000000	204.0000000	50.0000000	184.0106383	186.0000000	178.0000000	.	10.4505952	109.2149394
Sports	17	17	MSRP		17	0	18739.00	89765.00	71026.00	32510.65	26910.00	.	17641.86	311235327	
			Invoice		17	0	17101.00	79978.00	62877.00	29620.94	25179.00	.	15362.48	236005794	
			EngineSize	Engine Size (L)	17	0	1.3000000	4.3000000	3.0000000	2.4529412	2.2000000	1.8000000	.	0.8537547	0.7288971
			Cylinders		15	2	4.0000000	8.0000000	4.0000000	5.0666667	4.0000000	4.0000000	.	1.2798809	1.6380952
			Horsepower		17	0	138.0000000	300.0000000	162.0000000	225.3529412	227.0000000	142.0000000	.	57.6031045	3318.12
			MPG_City	MPG (City)	17	0	17.0000000	26.0000000	9.0000000	20.2352941	20.0000000	18.0000000	.	2.5132004	6.3161765
			MPG_Highway	MPG (Highway)	17	0	23.0000000	33.0000000	10.0000000	26.6470588	26.0000000	26.0000000	.	2.7143410	7.3676471
			Weight	Weight (LBS)	17	0	2195.00	3840.00	1645.00	3009.76	3085.00	2387.00	.	427.0643291	182383.94
			Wheelbase	Wheelbase (IN)	17	0	89.0000000	106.0000000	17.0000000	99.9411765	101.0000000	100.0000000	.	5.0307876	25.3088235
			Length	Length (IN)	17	0	153.0000000	179.0000000	26.0000000	170.0000000	174.0000000	174.0000000	.	8.2158384	67.5000000
Truck	8	8	MSRP		8	0	12800.00	26650.00	13850.00	20383.63	20914.50	.	5281.29	27892049.41	
			Invoice		8	0	11879.00	24926.00	13047.00	18801.50	19367.50	.	4782.31	22870490.29	
			EngineSize	Engine Size (L)	8	0	2.3000000	5.6000000	3.3000000	3.3625000	3.3500000	3.4000000	.	1.0835622	1.1741071
			Cylinders		8	0	4.0000000	8.0000000	4.0000000	5.5000000	6.0000000	6.0000000	.	1.4142136	2.0000000
			Horsepower		8	0	142.0000000	305.0000000	163.0000000	190.2500000	185.0000000	190.0000000	.	51.7569871	2678.79
			MPG_City	MPG (City)	8	0	14.0000000	24.0000000	10.0000000	17.8750000	16.5000000	14.0000000	.	3.9074105	15.2678571
			MPG_Highway	MPG (Highway)	8	0	17.0000000	29.0000000	12.0000000	22.0000000	19.5000000	18.0000000	.	5.0709255	25.7142357
			Weight	Weight (LBS)	8	0	2750.00	5287.00	2537.00	3793.13	3748.00	.	811.2451519	658118.70	
			Wheelbase	Wheelbase (IN)	8	0	103.0000000	140.0000000	37.0000000	119.6250000	121.0000000	128.0000000	.	13.0267582	169.6964286
			Length	Length (IN)	8	0	188.0000000	224.0000000	36.0000000	203.2500000	198.0000000	191.0000000	.	14.6555694	214.7857143
Wagon	11	11	MSRP		11	0	11905.00	36395.00	24490.00	23143.73	21445.00	.	8716.34	75974532.22	
			Invoice		11	0	11410.00	33121.00	21711.00	21352.27	19646.00	.	7673.49	58882511.62	
			EngineSize	Engine Size (L)	11	0	1.5000000	4.5000000	3.0000000	2.6454545	2.5000000	2.5000000	.	0.9147280	0.8367273
			Cylinders		11	0	4.0000000	8.0000000	4.0000000	4.9090909	4.0000000	4.0000000	.	1.3751033	1.8909091
			Horsepower		11	0	104.0000000	315.0000000	211.0000000	185.6363636	165.0000000	165.0000000	.	69.4698103	4826.05
			MPG_City	MPG (City)	11	0	15.0000000	31.0000000	16.0000000	22.3636364	21.0000000	21.0000000	.	5.1433982	26.4545455
			MPG_Highway	MPG (Highway)	11	0	19.0000000	36.0000000	17.0000000	28.1818182	28.0000000	28.0000000	.	5.3817875	28.9636364
			Weight	Weight (LBS)	11	0	2425.00	4309.00	1884.00	3236.27	3090.00	.	629.4238780	396174.42	
			Wheelbase	Wheelbase (IN)	11	0	95.0000000	112.0000000	17.0000000	103.4545455	102.0000000	98.0000000	.	6.0060575	36.0727273
			Length	Length (IN)	11	0	155.0000000	189.0000000	34.0000000	176.9090909	177.0000000	167.0000000	.	11.1754601	124.8909091

Key Points about Code

1. PROC TEMPLATE provides users with the ability to create and/or customize the appearance of tabular SAS output. A new styles.SasWeb_White_Black template using PROC TEMPLATE is created by modifying two parameters ('fgB1' and 'bgA') in the style color_list section.
2. An ODS HTML5 FILE= statement tells SAS the path / folder where the output is to be written along with the assignment of its physical name.
3. A TITLE statement is specified to display the name of the dashboard.
4. An ODS LAYOUT statement is specified to tell SAS to define a 1 row x 1 column layout.
5. An ODS REGION statement is specified to indicate the beginning of output results.
6. A PROC FREQ, three PROC SGPLOTS, and a PROC MEANS is specified.

7. An **ODS LAYOUT CLOSE** statement is specified to terminate the layout of output results.
8. An **ODS HTML5 CLOSE** statement tells SAS to render the output results representing the dashboard contents to the HTML5 file.

Base-SAS Code:

```
proc template ;
  define style Styles.Sasweb_White_Black ;
    style color_list
      "Colors used in the default style" /
      'fgD1' = cx666666 /* Gray */
      'fgC1' = cxCCCCCC /* Light Gray */
      'fgB1' = cxFFFFFF /* White */
      'bgA1' = cx6495ED /* CornFlower Blue */
      'fgA' = cx003399 /* Dark Blue */
      'bgA' = cx000000 /* Black */ ;
  end ;
run ;

ods html5 style=styles.Sasweb_White_Black
  path="/home/kirklafler/Dashboards/Results"
  body="Dashboard - Color (White-Black).html"
  (url=none) ;

title1 font=impact bold j=c h=12 c=black "Analytics Dashboard" ;

ODS LAYOUT GRIDDED ROWS=1 COLUMNS=1 ; /* Design HTML 1x1 Layout */

options center ; /* Center the Results */
ods region ; /* Start of Output Results */
title1 "SASHELP.CARS Frequency Distribution for Origin and Type" ;
proc freq data=SASHELP.CARS NLEVELS ;
  table Origin Type ;
run ;

title1 "Origin BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Origin / group=Origin datalabel ;
run ;

title1 "Type BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Type / group=Type datalabel ;
run ;

title1 "Origin by Type Cluster BarChart" ;
proc sgplot data=SASHELP.CARS ;
  vbar Origin / group=Type response=MSRP stat=mean groupdisplay=cluster datalabel ;
run ;

title1 "Descriptive Statistics for MSRP and Invoice by Origin" ;
footnote1 j=l "Layout: HTML-fgB1-CXFFFFFF-bgA-CX000000 (White/Black)" ;
proc means data=SASHELP.CARS n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;
title ;

ods layout end ; /* Terminate the Layout of Output Results */
ods html5 close ;
```

Example #15 – Single Column Black & Burgundy Dashboard

PROC FORMAT, PROC SORT, and PROC REPORT

Analytics Dashboard


SASHELP.CARS Frequency Distribution for Origin and Type



The FREQ Procedure

Number of Variable Levels	
Variable	Levels
Origin	3
Type	6

Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Asia	158	36.92	158	36.92
Europe	123	28.74	281	65.65
USA	147	34.35	428	100.00

Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hybrid	3	0.70	3	0.70
SUV	60	14.02	63	14.72
Sedan	262	61.21	325	75.93
Sports	49	11.45	374	87.38
Truck	24	5.61	398	92.99
Wagon	30	7.01	428	100.00





Descriptive Statistics for MSRP and Invoice by Origin

The MEANS Procedure

Origin	Type	N Obs	Variable	Label	N	N Miss	Minimum	Maximum	Range	Mean	Median	Mode	Std Dev	Variance				
Asia	Hybrid	3	MSRP		3	0	19110.00	20510.00	1400.00	19920.00	20140.00	.	725.4653879	526300.00				
			Invoice		3	0	17911.00	18928.00	1015.00	18429.33	18451.00	.	507.8467617	257908.33				
			EngineSize	Engine Size (L)	3	0	1.40000000	2.00000000	0.60000000	1.83333333	1.80000000	.	0.3214550	0.10333333				
			Cylinders		3	0	3.00000000	4.00000000	1.00000000	3.66666667	4.00000000	4.00000000	.	0.5773503	0.33333333			
			Horsepower		3	0	73.00000000	110.00000000	37.00000000	92.00000000	93.00000000	.	18.5202592	343.00000000				
			MPG_City	MPG (City)	3	0	48.00000000	60.00000000	14.00000000	55.00000000	59.00000000	.	7.8102497	61.00000000				
			MPG_Highway	MPG (Highway)	3	0	51.00000000	68.00000000	15.00000000	58.00000000	51.00000000	51.00000000	.	8.8802540	75.00000000			
			Weight	Weight (LBS)	3	0	1850.00	2890.00	1040.00	2490.67	2732.00	.	560.4295971	314081.33				
			Wheelbase	Wheelbase (IN)	3	0	96.00000000	108.00000000	11.00000000	101.33333333	103.00000000	.	5.8882407	32.33333333				
			Length	Length (IN)	3	0	155.00000000	175.00000000	20.00000000	168.33333333	175.00000000	175.00000000	.	11.5470054	133.33333333			
			SUV	25	25	MSRP		25	0	17183.00	64800.00	47637.00	29599.00	27590.00	.	11842.55	140245895	
						Invoice		25	0	16949.00	58455.00	39506.00	26916.48	24843.00	.	9984.67	99294870.76	
						EngineSize	Engine Size (L)	25	0	2.00000000	5.60000000	3.60000000	3.47200000	3.50000000	2.40000000	.	0.9275955	0.8804333
						Cylinders		25	0	4.00000000	8.00000000	4.00000000	6.00000000	6.00000000	.	1.2699944	1.6866667	
						Horsepower		25	0	130.00000000	325.00000000	195.00000000	214.16000000	215.00000000	160.00000000	.	48.7020533	2371.89
MPG_City	MPG (City)	25				0	13.00000000	22.00000000	9.00000000	17.32000000	17.00000000	17.00000000	.	2.7846579	7.6433333			
MPG_Highway	MPG (Highway)	25				0	17.00000000	27.00000000	10.00000000	21.88000000	21.00000000	19.00000000	.	3.0096934	9.06000000			
Weight	Weight (LBS)	25				0	3020.00	5560.00	2570.00	4108.04	4035.00	.	752.1830163	565779.29				
Wheelbase	Wheelbase (IN)	25				0	98.00000000	129.00000000	31.00000000	108.04000000	107.00000000	103.00000000	.	7.0880030	49.9566667			
Length	Length (IN)	25				0	163.00000000	208.00000000	45.00000000	184.84000000	186.00000000	167.00000000	.	11.4479984	131.0566667			
Sedan	94	94				MSRP		94	0	10280.00	55750.00	45470.00	22783.97	20392.00	.	15389.00	9813.14	
						Invoice		94	0	9875.00	49553.00	38708.00	20789.31	18556.00	14207.00	.	8363.51	69948245.14
						EngineSize	Engine Size (L)	94	0	1.50000000	4.50000000	3.00000000	2.6478723	2.50000000	3.50000000	.	0.7789887	0.6088234
						Cylinders		94	0	4.00000000	8.00000000	4.00000000	5.0425532	4.00000000	4.00000000	.	1.1831899	1.3530085
						Horsepower		94	0	103.00000000	340.00000000	237.00000000	181.6787234	167.50000000	160.00000000	.	57.2928575	3282.47
			MPG_City	MPG (City)	94	0	16.00000000	36.00000000	20.00000000	22.8404255	21.00000000	18.00000000	.	4.9389895	24.3938170			
			MPG_Highway	MPG (Highway)	94	0	22.00000000	44.00000000	22.00000000	29.8680851	29.00000000	26.00000000	.	4.8845885	23.8591855			
			Weight	Weight (LBS)	94	0	2035.00	4802.00	2767.00	3161.37	3242.50	2513.00	.	584.2948509	341400.47			
			Wheelbase	Wheelbase (IN)	94	0	93.00000000	124.00000000	31.00000000	105.6499382	105.00000000	107.00000000	.	6.4068301	41.0474720			
			Length	Length (IN)	94	0	154.00000000	204.00000000	50.00000000	184.0106383	186.00000000	178.00000000	.	10.4509592	109.2149394			
			Sports	17	17	MSRP		17	0	18739.00	89785.00	71026.00	32510.85	26910.00	.	17841.88	311235327	
						Invoice		17	0	17101.00	79978.00	62877.00	29820.94	25179.00	.	15362.48	236005794	
						EngineSize	Engine Size (L)	17	0	1.30000000	4.30000000	3.00000000	2.4529412	2.20000000	1.80000000	.	0.8537547	0.7288971
						Cylinders		15	2	4.00000000	8.00000000	4.00000000	5.0688667	4.00000000	4.00000000	.	1.2798809	1.6380952
						Horsepower		17	0	138.00000000	300.00000000	162.00000000	225.3529412	227.00000000	142.00000000	.	57.8031045	3318.12
MPG_City	MPG (City)	17				0	17.00000000	28.00000000	9.00000000	20.2352941	20.00000000	18.00000000	.	2.5132004	6.3181765			
MPG_Highway	MPG (Highway)	17				0	23.00000000	33.00000000	10.00000000	26.8470588	28.00000000	28.00000000	.	2.7143410	7.3878471			
Weight	Weight (LBS)	17				0	2195.00	3840.00	1645.00	3009.78	3085.00	2387.00	.	427.0843291	182383.94			
Wheelbase	Wheelbase (IN)	17				0	88.00000000	108.00000000	17.00000000	99.9411765	101.00000000	100.00000000	.	5.0307876	25.3088235			
Length	Length (IN)	17				0	153.00000000	179.00000000	26.00000000	170.00000000	174.00000000	174.00000000	.	8.21568384	67.50000000			
Truck	8	8				MSRP		8	0	12800.00	26950.00	13850.00	20383.63	20914.50	.	5281.29	27892046.41	
						Invoice		8	0	11879.00	24928.00	13047.00	18801.50	19367.50	.	4782.31	22870490.29	
						EngineSize	Engine Size (L)	8	0	2.30000000	5.60000000	3.30000000	3.36250000	3.35000000	3.40000000	.	1.0836622	1.1741071
						Cylinders		8	0	4.00000000	8.00000000	4.00000000	5.50000000	6.00000000	6.00000000	.	1.4142136	2.00000000
						Horsepower		8	0	142.00000000	305.00000000	163.00000000	190.25000000	185.00000000	190.00000000	.	51.7566971	2678.79
			MPG_City	MPG (City)	8	0	14.00000000	24.00000000	10.00000000	17.87500000	16.50000000	14.00000000	.	3.9074105	15.2878571			
			MPG_Highway	MPG (Highway)	8	0	17.00000000	29.00000000	12.00000000	22.00000000	19.50000000	18.00000000	.	5.0709255	25.7142857			
			Weight	Weight (LBS)	8	0	2750.00	5287.00	2537.00	3793.13	3748.00	.	811.2451519	658118.70				
			Wheelbase	Wheelbase (IN)	8	0	103.00000000	140.00000000	37.00000000	119.62500000	121.00000000	128.00000000	.	13.0267582	169.6864286			
			Length	Length (IN)	8	0	188.00000000	224.00000000	36.00000000	203.25000000	198.00000000	191.00000000	.	14.6556964	214.7857143			
			Wagon	11	11	MSRP		11	0	11905.00	38395.00	24490.00	23143.73	21446.00	.	8718.34	75974532.22	
						Invoice		11	0	11410.00	33121.00	21711.00	21352.27	19848.00	.	7973.40	63882511.52	
						EngineSize	Engine Size (L)	11	0	1.50000000	4.50000000	3.00000000	2.8454545	2.50000000	2.50000000	.	0.9147280	0.8367273
						Cylinders		11	0	4.00000000	8.00000000	4.00000000	4.9090909	4.00000000	4.00000000	.	1.3751033	1.8909091
						Horsepower		11	0	104.00000000	315.00000000	211.00000000	185.6363636	165.00000000	165.00000000	.	69.4998103	4829.05
MPG_City	MPG (City)	11				0	15.00000000	31.00000000	16.00000000	22.3636364	21.00000000	21.00000000	.	5.1433982	26.4548455			
MPG_Highway	MPG (Highway)	11				0	19.00000000	38.00000000	17.00000000	28.1818182	28.00000000	28.00000000	.	5.3817875	28.9836364			
Weight	Weight (LBS)	11				0	2425.00	4309.00	1884.00	3238.27	3090.00	.	629.4238780	398174.42				
Wheelbase	Wheelbase (IN)	11				0	95.00000000	112.00000000	17.00000000	103.4545455	102.00000000	98.00000000	.	6.0080575	36.0727273			
Length	Length (IN)	11				0	155.00000000	189.00000000	34.00000000	176.9090909	177.00000000	167.00000000	.	11.1754801	124.8909091			
Europe SUV	10	10				MSRP		10	0	25995.00	78870.00	50875.00	48348.00	43880.00	.	16325.11	268509293	
						Invoice		10	0	23989.00	71540.00	47571.00	44291.30	41059.50	.	14974.33	224230534	
						EngineSize	Engine Size (L)	10	0	2.50000000	5.00000000	2.50000000	3.95000000	4.40000000	4.40000000	.	0.9431036	0.8894444
						Cylinders		10	0	6.00000000	8.00000000	2.00000000	7.20000000	8.00000000	8.00000000	.	1.0327956	1.0866667
						Horsepower		10	0	174.00000000	340.00000000	166.00000000	283.10000000	275.00000000	.	52.6570686	2772.77	
			MPG_City	MPG (City)	10	0	12.00000000	18.00000000	6.00000000	14.50000000	14.50000000	12.00000000	.	1.9002924	3.6111111			
			MPG_Highway	MPG (Highway)	10	0	14.00000000	23.00000000	9.00000000	18.70000000	19.00000000	18.00000000	.	2.9458088	8.6777778			
			Weight	Weight (LBS)	10	0	3577.00	5423.00	1846.00	4735.00	4849.00	.	574.1995395	329705.11				
			Wheelbase	Wheelbase (IN)	10	0	100.00000000	113.00000000	13.00000000	109.50000000	111.50000000	112.00000000	.	4.8382080	23.3888889			
			Length	Length (IN)	10	0	175.00000000	195.00000000	20.00000000	185.20000000	185.50000000	.	5.3707024	28.8444444				

Key Points about Code

1. A new style template, Styles.Sasweb_Black_Burgundy, is created with PROC TEMPLATE that inherits the attributes of its parent template, Styles.SASWEB. The new template replaces two parameters ('fgB1' and 'bgA1') in the style color_list section.
2. An ODS HTML5 FILE= statement tells SAS the path / folder where the output is to be written along with the assignment of its physical name.
3. A TITLE statement is specified to display the name of the dashboard.
4. An ODS LAYOUT statement is specified to tell SAS to define a 1 row x 1 column layout.

5. An **ODS REGION** statement is specified to indicate the beginning of output results.
6. A PROC FREQ, three PROC SGPLOTS, and a PROC MEANS is specified.
7. An **ODS LAYOUT CLOSE** statement is specified to terminate the layout of output results.
8. An **ODS HTML5 CLOSE** statement tells SAS to render the output results representing the dashboard contents to the HTML5 file.

Base-SAS Code:

```
proc template ;
  define style Styles.Sasweb_Black_Burgundy ;
    parent = Styles.SASWEB ;
    replace color_list /
      'fgD1' = cx666666 /* Gray */
      'fgC1' = cxCCCCCC /* Light Gray */
      'fgB1' = CX000000 /* Black */
      'bgA1' = CX800020 /* Burgundy */
      'fgA' = CX000000 /* Black */
      'bgA' = CXFFFFFF /* White */ ;
  end ;
run ;

ods html5 style=styles.Sasweb_Black_Burgundy
  path="/home/kirklafler/Dashboards/Results"
  body="Dashboard - Color (Black-Burgundy) with STYLEATTRS.html"
  (url=none) ;

title1 font=impact bold j=c h=12 c=Black "Analytics Dashboard" ;

ODS LAYOUT GRIDDED ROWS=1 COLUMNS=1 ; /* Design HTML 1x1 Layout */

options center ; /* Center the Results */
ods region ; /* Start of Output Results */
title1 "SASHELP.CARS Frequency Distribution for Origin and Type" ;
proc freq data=SASHELP.CARS NLEVELS ;
  table Origin Type ;
run ;

title1 "Origin BarChart" ;
proc sgplot data=SASHELP.CARS ;
  styleattrs DATACOLORS=(CX800020 Indigo Plum Magenta PaleVioletRed Crimson) ;
  vbar Origin / group=Origin datalabel ;
run ;

title1 "Type BarChart" ;
proc sgplot data=SASHELP.CARS ;
  styleattrs DATACOLORS=(CX800020 Indigo Plum Magenta PaleVioletRed Crimson) ;
  vbar Type / group=Type datalabel ;
run ;

title1 "Origin by Type Cluster BarChart" ;
proc sgplot data=SASHELP.CARS ;
  styleattrs DATACOLORS=(CX800020 Indigo Plum Magenta PaleVioletRed Crimson) ;
  vbar Origin / group=Type response=MSRP stat=mean groupdisplay=cluster datalabel ;
run ;

title1 "Descriptive Statistics for MSRP and Invoice by Origin" ;
footnote1 j=l "Layout: HTML-bgA1-CX800020-fgA-CX000000 (Black-Burgundy) with STYLEATTRS" ;
proc means data=SASHELP.CARS n nmiss min max range mean median mode std var ;
  class Origin Type ;
run ;
title ;

ods layout end ; /* Terminate the Layout of Output Results */
ods html5 close ;
```

Conclusion

Organizations around the globe develop business intelligence and analytics dashboards to display the status of “point-in-time” metrics and key performance indicators. An effectively designed dashboard extracts real-time data from multiple sources for the purpose of highlighting important information, numbers, tables, statistics, metrics, performance scorecards and other essential content. This paper explored essential rules for “good” dashboard design, the metrics frequently used in dashboards, and the use of best practice programming techniques in the design of aesthetically pleasing dashboards using SAS® software. Readers were shown programming techniques to create quick and easy dashboards using Base-SAS® software including PROC SQL, macro, Output Delivery System (ODS), ODS HTML, ODS Excel, ODS Layout, ODS Statistical Graphics, PROC SGPLOT, and PROC SGPIE.

References

- Few, Stephen (2006), “[Common Pitfalls in Dashboard Design](#),” Copyright 2006, ProClarity Corporation, Boise, ID, USA.
- Harris, Kriss and Richann Watson (2020), [SAS Graphics for Clinical Trials by Example](#), SAS Institute Inc., Cary, NC, USA.
- Lafler, Kirk Paul (2025), “*Dashboards Made Easy Using SAS® Software*,” Proceedings of the 2025 SouthEast SAS Users Group (SESUG) Conference.
- Lafler, Kirk Paul and Joshua Cook (2024), “[Dashboards Made Easy Using SAS® Software](#),” Proceedings of the 2024 MidWest SAS Users Group (MWSUG) Conference.
- Lafler, Kirk Paul (2024), “[Building Amazing Dashboards Using SAS® Software](#),” Proceedings of the 2024 Nebraska SAS Users Group (NebraskaSUG) Conference.
- Lafler, Kirk Paul; Joshua M. Horstman and Roger D. Muller (2019), “[Building a Better Dashboard Using SAS® Base Software](#),” Proceedings of the 2019 SouthEast SAS Users Group (SESUG) Conference.
- Lafler, Kirk Paul; Joshua M. Horstman and Roger D. Muller (2017), “[Building a Better Dashboard Using SAS® Base Software](#),” Proceedings of the 2017 Pharmaceutical SAS Users Group (PharmaSUG) Conference, The Trinomium Group, USA.
- Lafler, Kirk Paul; Joshua M. Horstman and Roger D. Muller (2016), “[Building a Better Dashboard Using SAS® Base Software](#),” Proceedings of the 2016 SouthCentral SAS Users Group (SCSUG) Conference, The Trinomium Group, USA.
- Lafler, Kirk Paul; Joshua M. Horstman and Roger D. Muller (2016), “[Building a Better Dashboard Using SAS® Base Software](#),” Proceedings of the 2016 SouthEast SAS Users Group (SESUG) Conference, The Trinomium Group, USA.
- Lafler, Kirk Paul; Joshua M. Horstman and Roger D. Muller (2016), “[Building a Better Dashboard Using SAS® Base Software](#),” Proceedings of the 2016 Pharmaceutical SAS Users Group (PharmaSUG) Conference, The Trinomium Group, USA.
- Lafler, Kirk Paul (2019), [PROC SQL: Beyond the Basics Using SAS, Third Edition](#), SAS Institute Inc., Cary, NC, USA.
- Malik, Shadan (2007), “Elements for an Enterprise Dashboard,” idashboards.com.
<http://www.dashboardinsight.com/articles/digital-dashboards/fundamentals/elements-for-an-enterprise-dashboard.aspx>
- Matange, Sanjay and Dan Heath (2011), Statistical Graphics Procedures by Example, SAS Institute Inc., Cary, NC, USA. [Click to view the book at the SAS Book store.](#)
- Nelson, Gregory S. (2009), “[Building Your First Dashboard Using the SAS® 9 Business Intelligence Platform: A Tutorial](#),” Proceedings of the 2009 SAS Global Forum (SGF) Conference, ThotWave Technologies, Cary, NC, USA.
- Overton, Stephen (2012), “[Lost in Wonderland? Methodology for a Guided Drill-Through Analysis Out of the Rabbit Hole](#),” Proceedings of the 2012 SAS Global Forum (SGF) Conference, Zencos Consulting, Cary, NC, USA.
- Parker, Chevell (2010), “[A SAS® Output Delivery System Menu for All Appetites and Applications](#),” Proceedings of the 2010 Western Users of SAS Software (WUSS) Conference, SAS Institute Inc., Cary, NC USA.
- Sams, Scott (2013), “[SAS® BI Dashboard: Interactive, Data-Driven Dashboard Applications Made Easy](#),” Proceedings of the 2013 SAS Global Forum (SGF) Conference, SAS Institute Inc, Cary, NC, USA.
- Slaughter, Susan J. and Lora D. Delwiche (2010), “[Using PROC SGPLOT for Quick High-Quality Graphs](#),” Proceedings of the 2010 SAS Global Forum (SGF) Conference, SAS Institute Inc, Cary, NC, USA.
- Zdeb, Mike (2004), “[Pop-Ups, Drill-Downs, and Animation](#),” Proceedings of the 2004 SAS Users Group International (SUGI) Conference, University at Albany School of Public Health, Rensselaer, NY, USA.

Acknowledgments

The author thanks the MWSUG 2025 Conference Committee – especially David Corliss, Academic Chair, and John LaBore, Operations Chair – for their outstanding leadership and dedication; to the Visualization and Reporting Section Chair for selecting my abstract; to SAS Institute Inc. for continuing to provide SAS users with powerful and innovative software; and to SAS users everywhere for being among the kindest and most supportive people you’ll ever meet!

Trademarks Citations

SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration. Other brand and product names are trademarks of their respective companies.

Author Information

Kirk Paul Lafler is a data scientist, consultant, developer, programmer, educator, and author who teaches Statistics, SAS Programming, and Data Management in the Department of Statistics at San Diego State University. Kirk also delivers project-based consulting and programming services to organizations across healthcare, life sciences, business, and other industries. As an experienced instructor, he teaches both *virtual* and *in-person* courses in SAS, SQL, Python, R, Database Management Systems (Oracle, SQL Server, Teradata, MySQL, MongoDB, PostgreSQL, AWS), Excel, cloud, and other technologies.

Kirk currently serves on the Western Users of SAS Software (WUSS) Executive Committee as the Open-Source Advocate and Coordinator, and he is actively engaged with multiple proprietary and open-source user groups and conference committees. As the author of several books, including the widely acclaimed [PROC SQL: Beyond the Basics Using SAS, Third Edition \(SAS Press, 2019\)](#), Kirk is an invited speaker, educator, keynote, mentor, and is the proud recipient of 29 “Best” contributed paper, hands-on workshop, and poster awards.

Comments and suggestions are encouraged and can be sent to:

Kirk Paul Lafler, sasNerd
Data Scientist, Consultant, Developer, Programmer, Educator, and Author
Specializing in SAS® / Python / SQL / Database Management Systems / Excel / R / AWS / Cloud-based Technologies
E-mail: KirkLafler@cs.com
LinkedIn: <https://www.linkedin.com/in/KirkPaulLafler/>